## Street Tree Selection for Nelson City

	_						Plan	t Prefe	erences	<b>;</b>		E	Berm	Width	_
Botanical Name	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	I Frast	Plant in Groups	1.5 to 2m	2m t 4m	Above	Comments  4m
Coastal flats	& Alluvial Terraces:	Includes Dune, Es	stuaries, Tahunanui, Stoke		KEY	X = Pref 1/2 = Pre O = intol		olerates	some					•	
	Native Trees ende	emic to Nelson													
Alectryon excelsus Beilschmiedia tawa	Titoki	Medium	<u> </u>	Rounded	0	X	X		X	1/2. 1/2.			Х	X	Frost tender in early years Frost tender in early years
	Tawa Cabbage tree	Large Medium	ŭ	Upright Upright	O X	X	X	Х	0	0	Х		Х	X	Frost tender in early years
Cornycarpus laevigatus ( Plant in groups)	Karaka	Large	Foliage,Fruits	Rounded	0	Х	Х	1/2.	Х	Х	Х			Х	Fruits may be a deterrent from planting, very coastal.
	Kahikatea	Large		Upright	X	X	0	1/2.	1/2.	X			Х	X	
<b>/</b>	Rimu Narrow leafed lacebark	Large Medium	· · · ·	Upright Upright	1/2.	X	1/2. x	1/2. X	1/2.	X		Х	Х	X	
Plagianthus regius	Lowland ribbonwood	Medium	<u> </u>	Upright	1/2.	X	X	X	X	X		X	X		Deciduous
Podocarpus totara	Totara	Large		Rounded	0	Х	Х	Х	1/2.	Х			Х	Х	
Prumnopitus ferruginea	Miro	Large	· · · ·	Rounded	1/2.	Х	0	1/2.	1/2.	Х			Х	Х	Slow growing
	Matai	Large	· · · · · ·	Rounded	0	X	X	X	1/2.	X	V		Х	X	Slow growing
Pseudopanax crassifolius ( Plant in groups)  Rhopalostylis sapida ( Plant in groups)	Lancewood Nikau	Small Medium	Bark, Foliage Foliage, Flowers, Fruits	Upright Upright	1/2.	X	<u>х</u>	X 0	X	1/2. O	X	Х	Y	Y	Slow growing, frost tender
· · · · · · · · · · · · · · · · · · ·	Kowhai	Medium		Rounded	0	1/2.	X	Х	1/2.	Х	<b>A</b>		X	X	Clow growing, most tender
	Evergr	·!	1		-			Į		!	<del>!</del>		ļ	<u> </u>	·
Araucaria heterophylla	Norfolk Island Pine	Large	Foliage	Pyramidal		Х	X	Х	Х	0			Х	Х	
Cupressus sempervirens stricta	Upright cypress	Medium		Upright			X	X		X		Х	X		
Eucalyptus ficifolia	Flowering Gum	Medium	Flowers	Rounded		Х	Х	Х		Х			Х	X	
Hymenosporum flavum	Austrailian frangipani	Large		Upright	.,	X	Х	X		0		Х	X		
Livistona australis Michelia doltsopia	Australian fan palm Michelia	Large Medium	· · ·	Upright Pyramidal	Х	X	X	X	X	1/2. 1/2.			X	X	
Metrodsideros excelsa	Pohutukawa	Large	<u> </u>	Rounded		1/2.	X	X	1/2.	0			X	X	Frost tender in early years. For Coastal sites
	Southern Magnolia			Upright		X		Х	X	X		Х		X	
<u> </u>	Southern Magnolia	Medium		Upright		Х		Х	Х	Х			Х	Х	
Podocarpus macrophyllus	Yew Pine	Large		Pyramidal		X	X	X		0			X	X	Cood home conden weight.
Olea 'Frantoio' Olea 'Leccino'	Olive Olive	Medium Medium		Rounded Rounded		X	X	X		X			X	X	Good home garden variety  More vigorous and higher yeilding than Frantoio
Olea 'Verdale'	Olive	Medium		Rounded		X	X	X		X			X	X	Tolerant of wind, frost, drought & wetter ground.
Syagrus romanzoffiana	Queen Palm	Large	Foliage	Upright		Х	Х	Х		0			Х	Х	Specimens less than 2.2m tall are susceptible to frost
Thuya occidentalis 'Pyramidalis'	Eastern Arborvitae	Medium	Foliage	Upright		Х	1/2.	Х		Х		Х	X		
<b>D</b>	Decidu	ious	1			I I				1				T.	
Botanical Name Acer griseum	Common Name Paperbark Maple	Small	Bark and Autumn colourings	Rounded		Х	Y	Х		Х		Х	Х		
<u> </u>	Autumn Blaze Maple	Medium	<u> </u>	Pyramidal	1/2.	X	1/2.	X		X			X	Х	
	Bowhall Maple	Medium	Foliage and Autumn colourings	Úpright	1/2.	Х	1/2.	Х		Х		Χ	Х	Х	
Acer rubrum 'Columnaire'	Column Maple	Medium		Upright	1/2.	X	1/2.	X		Х		Х	X	X	
Acer saccharum Carpinus japonica	Sugar Maple Japanese Hornbeam	Medium Small		Rounded Pyramidal	1/2.	X	1/2. 1/2.	X	1/2. 1/2.	X		Х	X	X	
Calodendrum capense	Cape Chestnut	Oman	i oliage and i lowers	i yraimuai		^	1/2.	_^	1/2.	<del>  ^</del>			^		
Cercis chinensis 'Avondale'	Redbud	Medium	Foliage and Flowers	Umbrella		Х	1/2.	Х	1/2.	Х			Х	X	Young growth can be frosted.
	Redbud	Medium	Foliage and Flowers	Umbrella		Х	1/2.	Х	1/2.	X			X	X	Young growth can be frosted.
Corylus corluna	Turkish Filbert	Medium		Pyramidal Pounded		X	X	X		X			X	X	Drought tolerant when established 1-2 years
Fraxinus pensylvanica Ginkgo biloba 'fastigiata' Male tree only	Green Ash Upright Gingko	Medium		Rounded Upright		X	X	X	1/2.	X		X	X	X	
Gleditsia triacanthos 'Limelight'	Lime Locust	Medium	ŭ ŭ	Umbrella		X	X	X	.,2.	X			X	Х	
Gleditsia triacanthos 'Skyline'	Locust	Large	Foliage and Autumn colourings	Umbrella		Х	Х	Х		Х			Х	Х	
Jacaranda mimosaefolia	Jacaranda Coldon Bain Trop	Medium		Umbrella		X	1/2.	X	4/0	0			X	X	Frost tender
Koelreuteria paniculata Liquidamber styraciflua 'Franks Gold'	Golden Rain Tree Liguidamber	Large Large	<u> </u>	Rounded Pyramidal		X	1/2.	X	1/2.	X			X	X	Yellow branches when dormant
Liquidamber styraciflua 'Lane Roberts'	Liquidamber	Large	*	Pyramidal		X	1/2.	X		X			X	X	TORON STURBLES WHOM COMMUNE
Liquidamber styraciflua 'Palo Alto'	Liquidamber	Large	Foliage and Autumn colourings	Pyramidal		Х	1/2.	Х		Х			Х	Х	
Liquidamber styraciflua 'Worplesdon'	Liquidamber	Large	<u> </u>	Pyramidal		Х	1/2.	Х		X			X	X	Round seed pods develop on mature trees.
Liriodendron tulipifera Liriodendron tulipifera fastigiata	Tuliptree Upright Tuliptree	Large Medium	<u> </u>	Rounded Upright		X	1/2. 1/2.	X	1/2. 1/2.	X		Х	X	X	
, c	Crypemyrtle	Small	· · · · · · · · · · · · · · · · · · ·	Rounded		X	1/2. Χ	X	1/2.	X			X		
Lagerstromia indica 'Soir D'ete'	Crypemyrtle	Small	, ,	Rounded		X	X	X		X			X		Very frost hardy
	Crypemyrtle	Small	Bark, Flowers and Autumn colourings	Rounded		Х	Х	Х		Х			X		Very frost hardy
Magnolia cultivars. New selections ongoing based upon flower colours.	Magnolias	Medium	Foliage and Flowers	Rounded		х		Х	1/2.	х			X	х	Selections currently used are 'Milky Way', 'Star Wars', 'Susan', 'Vulcan'. All need good soils and room to develop roots. Roots are easily damaged to the detriment of the tree.

							Plan	t Prefe	rences	;		В	erm V	/idth	
Botanical Name	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost	Plant in Groups		2m to 4m	Above 4	Comments
	Coastal flats & A	Alluvial Tarra			<u>}.</u>		fers or to								
	Coasiai IIais & F	Alluviai Terrac			KEY		eters or t elerant of	tolerates	some						
	Decid	duous													
Melia azedarach	China berry	Medium	Foliage and Flowers	Rounded		X	X	Х	1/2.	Х			X	l x	A fast grower and will lift footpaths. Needs room to grow.
Nyssa sylvatica	Tupelo	Medium	Foliage and Autumn colourings	Pyramidal		X		X	1/2.	X			X	X	Stunning autumn colour, for residential areas with good soils.
Parrotia persica	Persian Parrotia	Small	Bark, Foliage and Autumn colourings	Pyramidal		Х	1/2.	Х		Х		Х	Х	Х	Drought tolerant when established.
Pistacia chinensis	Chinese pistache	Medium	Foliage and Autumn colourings	Rounded		Х	Х	Х		Х			Х	Х	Stunning autumn colour, for residential areas with good soils.
Quercus coccinea	Scarlet Oak	Large	Foliage and Autumn colourings	Rounded		Х	1/2.	Х	1/2.	Х				X	Stongly grown feathered trees will perform the best in the landscape
Quercus palustris	Pin Oak	Large	Foliage and Autumn colourings	Pyramidal		X	Х	X		X				X	Stongly grown feathered trees will perform the best in the landscape
Tilia cordata	Small Leaved Linden	Large	Foliage and Autumn colourings	Rounded		X	1/2.	X		X			V	X	Bred in USA for Urban conditions.
Ulmus carpinifolia x parvifolia 'Frontier' Ulmus hollandica 'Lobel'	Frontier Elm Lobel Elm	Medium Large	Foliage and Autumn colourings  Foliage and Autumn colourings	Pyramidal Upright		X	1/2.	X		X			X	X	Dutch Elm resistant.
Zelkova serrata	Japanese zelkova	Medium	Bark, Foliage and Autumn colourings	Umbrella		X	X	X		X			X	X	Drought resistant once established
Zeikova Serrata	Japanese Zeikova	INICUIUM	Dark, I ollage and Additin colodings	Ombreila			_ ^						Λ		Drought resistant once established
	Coastal Hi	ill <b>Country</b> demic to Nelsor	า												
Alectryon excelsus	Titoki	Medium	Foliage	Rounded	0	Х	Х	0	Х			Х	Х	Х	Frost tender in early years
Beilschmiedia tawa	Tawa	Large	Foliage	Upright	0	Х	0	0	Х			Х	Х		
Cordyline australis ( Plant in groups)	Cabbage tree	Medium	Foliage, Flowers	Upright	Х	Х	Х	Х	0				Х	Х	
Cornycarpus laevigatus ( Plant in groups)	Karaka	Large	Foliage,Fruits	Rounded	0	Х	Х	1/2.	Χ				Х	Х	Fruits may be a deterrent from planting, very coastal.
Dacrydium cupressinum	Rimu	Large	Bark, Foliage	Upright	Х	Х	1/2.	1/2.	1/2.				Х	Х	
Nothofagus solandri var.solandri	Black Beech	Large	Foliage, Flowers	Rounded	0	Х	Х	Х	1/2.				Х	Х	Honeydew potential would dictate use next to parking areas
Nothofagus truncata	Hard Beech	Large	Foliage, Flowers	Rounded	0	1/2.	Х	Х	1/2.				Х	Х	Partly decidous in late winter early spring
Prumnopitus taxifolia	Matai	Large	Bark, Foliage	Rounded	0	Х	Х	Х	1/2.				Х	Х	Slow growing
Pseudopanax crassifolius ( Plant in groups)	Lancewood	Small	Bark, Foliage	Upright		Х	Х	Х	Х			Х			
Pseudopanax ferox ( Plant in groups)	Toothed Lancewood	Small	Bark, Foliage	Upright	0		Х	Х	1/2.			Х	Х		Only Nth of Delaware Inlet, nationally rare
Rhopalostylis sapida ( Plant in groups)	Nikau	Medium	Foliage, Flowers, Fruits	Upright	1/2.	Х	0	0					Х	X	Slow growing, frost tender
	Everç	green													
Araucaria heterophylla	Norfolk Island Pine	Large	Foliage	Pyramidal		X	Х	Y	Y	0			Y	Y	
Cupressus sempervirens stricta	Upright cypress	Medium	Foliage	Upright			X	X	^	X		Х	^		
Hymenosporum flavum	Austrailian frangipani	Large	Foliage and Flowers	Upright		Х	X	X		0			Х		
Metrosideros umbellata	Southern Rata	Large	Foliage and Flowers	Rounded		1/2.	X	X	1/2.	X			X	Х	Requires cool root run
Michelia doltsopia	Michelia	Medium	Foliage and Flowers	Pyramidal		X	X	X	.,	1/2.			X	X	
Magnolia grandiflora 'Main Street'	Southern Magnolia	Medium	Foliage and Flowers	Upright		Х		Х	Х	Х			Х		
Olea 'Verdale'	Olive	Medium	Fruits	Rounded		Х	Х	Х		Х			Х	Х	Tolerant of wind, frost, drought & wetter ground.
Syagrus romanzoffiana ( Plant in groups)	Queen Palm	Large	Foliage	Upright		Х	Х	Х		0			Х		Specimens less than 2.2m tall are susceptible to frost
	Decid	duous													
Acer freemanii 'Autumn Blaze'	Autumn Blaze Maple	Medium	Foliage and Autumn colourings	Pyramidal	1/2.	Х	1/2.	Х		Х			Х	Х	
Acer rubrum 'Bowhall'	Bowhall Maple	Medium	Foliage and Autumn colourings	Upright	1/2.	Х	1/2.	Х		Х		Х			
Acer rubrum 'Columnaire'	Column Maple	Medium	Foliage and Autumn colourings	Upright	1/2.	Х	1/2.	Х		Х		Х			
Carpinus japonica	Japanese Hornbeam	Small	Foliage and Flowers	Pyramidal		Х	1/2.	Х	1/2.	Х		Х	X		
Calodendrum capense	Cape Chestnut	Large	Foliage and Flowers	Rounded	0	Х	1/2.	Х	1/2.	0				Х	Requires fertile soil, with good drainage
Cercis reniformis 'Oklahoma'	Redbud	Medium	Foliage and Flowers	Umbrella		X	1/2.	X	1/2.	X			Х		Young growth can be frosted.
Corylus corluna	Turkish Filbert	Medium	Foliage	Pyramidal		X	X	X		X			X	X	Drought tolerant when established 1-2 years
Gleditsia triacanthos 'Skyline'	Locust	Large	Foliage and Autumn colourings	Umbrella		X	X	X		Х			X	X	
Jacaranda mimosaefolia	Jacaranda	Medium	Foliage and Flowers	Umbrella		X	1/2.	X		V			X	X	Frost tender
Lagerstromia indica 'Kimono'	Crypemyrtle	Small	Bark, Flowers and Autumn colourings	Rounded		X	X	X		X			X		Vary fract bardy
Lagerstromia indica 'Soir D'ete' Lagerstromia indica 'Soir D'ete'	Crypemyrtle	Small Small	Bark, Flowers and Autumn colourings  Bark, Flowers and Autumn colourings	Rounded Rounded		X	X	X		X			X		Very frost hardy Very frost hardy
Pistacia chinensis	Crypemyrtle Chinese pistache	Medium	Foliage and Autumn colourings	Rounded		X	X	X		X			Y	Y	Stunning autumn colour, for residential areas with good soils.
Ulmus carpinifolia x parvifolia 'Frontier'	Frontier Elm	Medium	Foliage and Autumn colourings	Pyramidal		X	Y	X		X			Y	Y	Bred in USA for Urban conditions.
Ulmus hollandica 'Lobel'	Lobel Elm	Large	Foliage and Autumn colourings Foliage and Autumn colourings	Upright		X	1/2.	X		X			X	X	Dutch Elm resistant.
Ulmus parvifolia	Chinese Elm	Large	Bark, Foliage and Autumn colourings	Rounded		X	X	X		X			X	X	Performs in urban conditions. Young trees need to be feathered and trained to a single leader
Zelkova serrata	Japanese zelkova	Medium	Bark, Foliage and Autumn colourings	Umbrella		X	X	X		X			X	X	Drought resistant once established
	Jeapanese Zemera			2				_ ^ _					• •		1-1-3-g-11-3-3-3-3-11-3-11-3-3-3-3-3-3-3

Company   Comp								Plan	t Prefe	erences			В	erm W	/idth	
Company   Comp	Botanical Name	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost				Above 4n	
Action was was was also seed to be seed to see		Lowland Flats and	Alluvial Terr	aces		KEY	1/2 = Pro	efers or	tolerates	some						
Storm Column   Top   Storm C		Native Trees end	lemic to Nelson	1			•									
Supplement of the Control of the C	Alectryon excelsus	Titoki	Medium	Foliage	Rounded	0	Х	Х	0	Х			Х	Х	Х	Frost tender in early years
Could's April of Section 19	Beilschmiedia tawa						Х			Х			Х	Х		
Secretary secret				<b>5</b> /				0				V		X	X	
Control   Final   Control   Contro	, , ,			<b>5</b> /				X				X			X	
Section   Sect	, , , , , , , , , , , , , , , , , , ,			_ · · · · · · · · · · · · · · · · · · ·											X	
Name of the color of the part of the par	•			, ,				X					Х	X	X	
Semigrate   Semi				<b>G</b> 7				0	0	Х				Х	Х	
March   Sub-	Nestegis lanceolata							1/2.		Х						
Figure   Process   Proce	Nothofagus menziesii	Silver beech			Rounded		Х	Х	1/2.	1/2.				Х	Х	
This parties are good   Leader (Markemond)   Market   M	Nothofagus solandri var.solandri	Black Beech	Large		Rounded	0	Х	Х	Х	1/2.				Х	Х	Honeydew potential would dictate use next to parking areas
Montage   March   Ma	Phyllocladus trichomanoides			, ,				Х		1/2.					X	
Name   Sept	Plagianthus regius			<u> </u>				Х		Х			Х		.,	Deciduous
Part   Company	•			· · · · · · · · · · · · · · · · · · ·				X							X	Class analysis a
Production of Company	'			· •				0		-					X	
Ministration   Mini				· · · · · · · · · · · · · · · · · · ·		0		X		1/2.		V	V	Х	X	Slow growing
Segree interplays   Segree	` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` ` `			· •		4/0		X		X			Х		V	Class graving front tondor
Evergreen    Deep   Company Services   Michael   Solage of Powers   Solage   Solage				<u> </u>				V		1/2		^			\ \ \ \ \ \ \	Slow growing, nost tender
Currents approximate   Currents	Зорнога писторнува			Foliage, Flowers, Fruits	Rounded	U	1/2.	_ ^		1/2.				^		<u> </u>
Michael and defotops   Michael   M				T= ::	1						1					
Nagronia prandition   Southern Magnetis   Southern Magnetis   Southern Magnetis   Magn							V	X					Х	V	V	
Majorial grandfrom Name Steady   Southern Magorials   Modelum   Follage and Followers   Upright   X   X   X   X   X   X   X   X   X					,			X		V	1/2.		V	X	X	
Microstrians   Micr		· · · · · · · · · · · · · · · · · · ·								X	X		^			
Online   Medium   Futus   Rounded   X	<u> </u>	·		ı				Х		1/2.					X	Requires cool root run
Division   Division   Division   Private   Rounded   N. X.			<u> </u>	<u> </u>			_	Х						X	X	· ·
Page-district   Medium	Olea 'Leccino'	Olive		Fruits	Rounded		Х	Х	Х		Х			Х	Х	
Deciduous  Paporitain Mario Paporitain		Olive					_	Х			Х			Х	Х	Tolerant of wind, frost, drought & wetter ground.
Ace presents Marcin Blazy  Authorn Board May Medium  Felloge and Authorn colorology  Approach Saze Mayle  Approach Saze Mayle  Approach Saze Mayle  Medium  Felloge and Authorn colorology  Felloge and Authorn colorology  Felloge and Fellowers  Medium  Felloge and Authorn colorology  Felloge and Fellowers  Medium  Felloge and Authorn colorology  Medium  Felloge and Authorn	Thuya occidentalis 'Pyramidalis'		Medium	Foliage	Upright		Х	1/2.	Х		Х		X	X		
Acer frammain   Auturn Blaze   Auturn   Staze   Medium   Foliage and Auturn colourings   Pyramidal   1/2   X   1/2   X   X   X   X   X   X   X   X   X		Decidu	uous													
Acer natural Bowhall Meple Acer natural Coulomarie Colum Maple Medium Foliage and Auturna colourings Upright 172. X 172. X 172. X 172. X X X X X X X X X X X X X X X X X X X	Acer griseum	Paperbark Maple	Small	Bark and Autumn colourings	Rounded		Х	Х	Х		Х		Х			
Acer sechemum Columnarie* Sugar Maple Medium Foliage and Auturnn colourings Sugar Maple Medium Foliage and Auturnn colourings Foliage and Flowers Foliage and Auturnn colourings Foliage and Auturnn co	Acer freemanii 'Autumn Blaze'	Autumn Blaze Maple		1 0		1/2.	Х	1/2.	Х		Х			Х	Х	
Acer saccharum  Sugar Maple Medium Foliage and Alumn colourings Medium Foliage and Flowers Umbrelle Umbrelle VX 1/2, V	Acer rubrum 'Bowhall'	·				1										
Carpius japonica    Japonese Horrbeam   Shall   Foliage and Flowers   Whrtella   X   12, X   X   X   X   X   X   X   X   X   X				· · ·									Х			
Cercis renformis Oklahoma' Redbud Medium Foliage and Elowers Umbrella X X 12,		<u> </u>		· · ·		1/2.							V		X	
Corylus ordina   Turkish Filbert   Medium   Foliage and Autumn colourings   Rounded   X   X   X   X   X   X   X   X   X				<u> </u>									Α			Voung growth can be freeted
Fraxims pensylvanica  Green Ash  Foliage and Auturn colourings  Rounded  X X X X X X X X X X X X X X X X X X X				<u> </u>				1/2. Y		1/2.					X	
Glinkgo Diloba Tastiglata' Upright Glingko Medium Foliage and Autumn colourings Upright X X X X X X X X X X X X X X X X X X X			Modium	9				X							X	
Gledissa triaceanthos 'Limelight'	Ginkgo biloba 'fastigiata'		Medium	· · ·				X		1/2.			Х		1	
Liquidamber styraciflua 'Franks Gold'   Liquidamber   Large   Foliage and Autumn colourings   Pyramidal   X   1/2, X   X   X   Vellow branches when dormant   Liquidamber   Large   Foliage and Autumn colourings   Pyramidal   X   1/2, X   X   X   X   Vellow branches when dormant   Liquidamber   Large   Foliage and Autumn colourings   Pyramidal   X   1/2, X   X   X   X   X   X   X   X   X   X	Gleditsia triacanthos 'Limelight'	<u> </u>		Foliage and Autumn colourings				Х			X			Х	X	
Liquidamber styraciffua Tane Roberts' Liquidamber   Large   Foliage and Auturnn colourings   Pyramidal   X   1/2,   X   X   X   X   X   X   X   X   X	Gleditsia triacanthos 'Skyline'			·				Х						X	X	
Liquidamber styraciffua 'Palo Alto' Liquidamber Styraciffua 'Palo Alto' Liquidamber Styraciffua 'Worplesdon' Liquidamber Large Foliage and Autumn colourings Pyramidal X 1/12. X X X X Round seed pods develop on mature trees.  Liriodendron tulipifera Tuliptree Large Foliage and Autumn colourings Rounded X 1/12. X 1/2. X 1/2. X X X X X X X X X Liriodendron tulipifera fastigiata Upright Tuliptree Medium Foliage and Autumn colourings Upright X 1/2. X 1/2. X 1/2. X X X X X X X X X X X X X X X X X X X	_ , ,	<u> </u>		The state of the s	•						X			Х	X	Yellow branches when dormant
Liquidamber styraciflua 'Worplesdon' Liquidamber   Large   Foliage and Autumn colourings   Pyramidal   X   1/2,   X   X   X   X   X   X   X   X   X	•			<u> </u>	•						X			X	X	
Liriodendron tulipifera Liriodendron tulipifera fastigiata Upright Tuliptree Medium Foliage and Autumn colourings Magnolia cultivars. New selections ongoing based upon flower colours.  Magnolias Medium Foliage and Flowers Rounded X X X X X X X X X X X X X X X X X X		<u> </u>													X	December of the december of the territory for the second s
Liriodendron tulipifera fastigiata  Upright Tuliptree  Medium  Foliage and Autumn colourings  Upright  X  X  X  X  X  X  X  X  X  X  X  X  X		•		<u> </u>	•		X			4/0					X	Round seed pods develop on mature trees.
Magnolia cultivars. New selections ongoing based upon flower colours.  Magnolias  Medium  Foliage and Flowers  Rounded  X  X  X  X  X  X  X  X  X  X  X  X  X		•					Y			-			Y			
Melia azedarach  China berry  Medium  Foliage and Flowers  Rounded  X  X  X  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Magnolia cultivars. New selections ongoing based upon	· •						1/2.	Х		х			X	х	Selections currently used are 'Milky Way', 'Star Wars', 'Susan', 'Vulcan'. All need good soils and room to develop roots. Roots are easily damaged to the detriment of the tree.
Persian Parrotia	Melia azedarach	China berry	Medium	Foliage and Flowers	Rounded		Х	Х	Х	1/2.	Х			Х	Х	
Pistacia chinensis  Chinese pistache  Medium  Foliage and Autumn colourings  Rounded  X  X  X  X  X  X  X  X  X  X  X  X  X				· · · · · · · · · · · · · · · · · · ·			Х		Х	1/2.	Х			Х	Х	·
Quercus coccineaScarlet OakLargeFoliage and Autumn colouringsRoundedX1/2.X1/2.XStongly grown feathered trees will perform the best in the landscapeQuercus palustrisPin OakLargeFoliage and Autumn colouringsPyramidalXXXXStongly grown feathered trees will perform the best in the landscapeTilia cordataSmall Leaved LindenLargeFoliage and Autumn colouringsRoundedX1/2.XXXUlmus carpinifolia x parvifolia 'Frontier'Frontier ElmMediumFoliage and Autumn colouringsPyramidalXXXXXBred in USA for Urban conditions.Ulmus hollandica 'Lobel'Lobel ElmLargeFoliage and Autumn colouringsUprightX1/2.XXXDutch Elm resistant.	Parrotia persica			, <u> </u>				1/2.								
Quercus palustrisPin OakLargeFoliage and Autumn colouringsPyramidalXXXXXStongly grown feathered trees will perform the best in the landscapeTilia cordataSmall Leaved LindenLargeFoliage and Autumn colouringsRoundedX1/2.XXUlmus carpinifolia x parvifolia 'Frontier'Frontier ElmMediumFoliage and Autumn colouringsPyramidalXXXXXUlmus hollandica 'Lobel'Lobel ElmLargeFoliage and Autumn colouringsUprightX1/2.XXXXDutch Elm resistant.		•		<u> </u>				Х						Х	X	<u> </u>
Tilia cordata Small Leaved Linden Large Foliage and Autumn colourings Rounded X 1/2. X X X X Bred in USA for Urban conditions.  Ulmus carpinifolia x parvifolia 'Frontier' Frontier Elm Medium Foliage and Autumn colourings Pyramidal X X X X X X X X X X X X X X X X X X X				· · ·				1/2.	X	1/2.	X				X	
Ulmus carpinifolia x parvifolia 'Frontier' Frontier Elm Medium Foliage and Autumn colourings Pyramidal X X X X Bred in USA for Urban conditions.  Ulmus hollandica 'Lobel' Lobel Elm Large Foliage and Autumn colourings Upright X 1/2. X X Dutch Elm resistant.				<u> </u>				1/2	X		X V				X V	Storigly grown reathered trees will perform the pest in the landscape
Ulmus hollandica 'Lobel' Lobel Elm Large Foliage and Autumn colourings Upright X 1/2. X X Dutch Elm resistant.				<u>.                                     </u>				1/2. Y						Y	Y	Bred in USA for Urban conditions
				<u> </u>				1/2.							X	
				<u>.                                     </u>				1							Х	

							Plar	nt Prefe	erences	5		В	erm W	/idth	
Botanical Name	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost	Plant in Groups		2m to 4m	Above 4n	Comments
	Lowland H	ill Country			KEY		efers or	tolerates tolerates of	some						
	Native Trees end	demic to Nelson	1												
Alectryon excelsus	Titoki	Medium	Foliage	Rounded	0	Х	Х	0	Х			Х	Χ	Х	Frost tender in early years
Beilschmiedia tawa	Tawa	Large	Foliage	Upright	0	Х	0	0	Х			Х	X		
Cordyline australis ( Plant in groups)	Cabbage tree	Medium	Foliage, Flowers  Bark, Foliage	Upright	X	X	X	X 4/2	0		Х		X	X	
Dacrydium cupressinum  Nestegis cunninghamii	Rimu Black maire	Large Large	Foliage, Flowers, Fruits	Upright Rounded	X O	X	1/2. O	1/2. O	1/2. X				X	X	
Nestegis lanceolata	White maire	Large	Foliage	Rounded	1/2.	X	1/2.	0	X				Х		
Nothofagus fusca	Red Beech	Large	Bark, Foliage	Pyramidal	0	Х	0	1/2.	1/2.						
Nothofagus menziesii	Silver beech	Large	Foliage	Rounded	Х	Х	Х	1/2.	1/2.				Х	Х	
Nothofagus solandri var.solandri	Black Beech	Large	Foliage, Flowers	Rounded	0	Х	Х	Х	1/2.				Х	Х	Honeydew potential would dictate use next to parking areas
Nothofagus truncata	Hard Beech	Large	Foliage, Flowers	Rounded	0	1/2.	Х	X	1/2.				X	X	Partly decidous in late winter early spring
Phyllocladus trichomanoides	Tanekaha Lowland ribbonwood	Large Medium	Bark, Foliage Foliage, Flowers	Pyramidal Upright	0	X	X	X	1/2.			Х	X	X	Deciduous
Plagianthus regius Podocarpus hallii	Thin barked totara	Large	Bark, Foliage	Rounded	1/2. O	X	Y	X	1/2.			^	X	Y	Deciduous
Prumnopitus ferruginea	Miro	Large	Bark, Foliage	Rounded	1/2.	X	0	1/2.	1/2.				X	X	Slow growing
Prumnopitus taxifolia	Matai	Large	Bark, Foliage	Rounded	0	X	X	X	1/2.				X	X	Slow growing
Pseudopanax crassifolius (Group Plantings)	Lancewood	Small	Bark, Foliage	Upright		X	X	Х	X		Х	Х		1	
Rhopalostylis sapida (Group Plantings)	Nikau	Medium	Foliage, Flowers, Fruits	Upright	1/2.	Х	0	0					Х	Х	Slow growing, frost tender
	Ever	green													
Cupressus sempervirens stricta	Upright cypress	Medium	Foliage	Upright			l x	Х		l x		Х			
Michelia doltsopia	Michelia	Medium	Foliage and Flowers	Pyramidal		Х	X	X		1/2.			Х	X	
Magnolia grandiflora 'Little Gem'	Southern Magnolia		Foliage and Flowers	Upright		X		X	Х	X		Х	X		
Magnolia grandiflora 'Main Street'	Southern Magnolia	Medium	Foliage and Flowers	Upright		Х		Х	Х	Х			Х		
Metrosideros umbellata	Southern Rata	Large	Foliage and Flowers	Rounded		1/2.	Х	Х	1/2.	Х			Х	Х	Requires cool root run
Podocarpus salignus	Willow leaf podocarp	Large	Foliage	Pyramidal		Х	Х	X		0			Х	X	
Olea 'Frantoio'	Olive	Medium	Fruits	Rounded		X	X	X					X	X	Good home garden variety
Olea 'Leccino' Olea 'Verdale'	Olive Olive	Medium Medium	Fruits Fruits	Rounded Rounded		X	X	X		X			X	X	More vigorous and higher yeilding than Frantoio  Tolerant of wind, frost, drought & wetter ground.
Thuya occidentalis 'Pyramidalis'	Eastern Arborvitae	Medium	Foliage	Upright		X	1/2.			X		Х	X	^	Tolerant of wind, frost, drought & wetter ground.
,		luous	1 5 -	1-1-3		<u>.</u>			<u>!</u>		!				•
Acer griseum	Paperbark Maple	Small	Bark and Autumn colourings	Rounded		X	Х	Х		Х		Х			1
Acer freemanii 'Autumn Blaze'	Autumn Blaze Maple	Medium	Foliage and Autumn colourings	Pyramidal	1/2.	X	1/2.	X		X		<b> </b>	Х	X	
Acer rubrum 'Bowhall'	Bowhall Maple	Medium	Foliage and Autumn colourings	Upright	1/2.	Х	1/2.	X		Х		Х			
Acer rubrum 'Columnaire'	Column Maple	Medium	Foliage and Autumn colourings	Upright	1/2.	Х	1/2.	Х		Х		Х			
Acer saccharum	Sugar Maple	Medium	Foliage and Autumn colourings	Rounded	1/2.	Х	1/2.	Х	1/2.	Х			Х	Х	
Carpinus japonica	Japanese Hornbeam	Small	Foliage and Flowers	Pyramidal		X	1/2.	X	1/2.	X		X	X		
Cercis reniformis 'Oklahoma'	Redbud	Medium	Foliage and Flowers	Umbrella		X	1/2.	X	1/2.	X			X	- V	Young growth can be frosted.
Corylus corluna Fraxinus pensylvanica	Turkish Filbert Green Ash	Medium	Foliage Foliage and Autumn colourings	Pyramidal Rounded		X	X	X		X			X	X	Drought tolerant when established 1-2 years
Gleditsia triacanthos 'Limelight'	Lime Locust	Medium	Foliage and Autumn colourings	Umbrella		X	X	X		X			X	X	
Gleditsia triacanthos Elmeight Gleditsia triacanthos 'Skyline'	Locust	Large	Foliage and Autumn colourings	Umbrella		X	X	X		X			X	X	
Liquidamber styraciflua 'Franks Gold'	Liquidamber	Large	Foliage and Autumn colourings	Pyramidal		X	1/2.	X		X			X	X	Yellow branches when dormant
Liquidamber styraciflua 'Lane Roberts'	Liquidamber	Large	Foliage and Autumn colourings	Pyramidal		Х	1/2.	Х		Х			Х	Х	
Liquidamber styraciflua 'Palo Alto'	Liquidamber	Large	Foliage and Autumn colourings	Pyramidal		Х	1/2.	Х		Х	_		X	Х	
Liquidamber styraciflua 'Worplesdon'	Liquidamber	Large	Foliage and Autumn colourings	Pyramidal		Х	1/2.	Х		Х			Х	Х	Round seed pods develop on mature trees.
Liriodendron tulipifera	Tuliptree	Large	Foliage and Autumn colourings	Rounded		X	1/2.	X	1/2.	X		\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	X	X	
Liriodendron tulipifera fastigiata  Melia azedarach	Upright Tuliptree	Medium Medium	Foliage and Autumn colourings Foliage and Flowers	Upright Rounded		X	1/2.	X	1/2.	X		Х	X	V	A fast grower and will lift footpaths. Needs room to grow.
Melia azedarach Nyssa sylvatica	China berry Tupelo	Medium	Foliage and Autumn colourings	Pyramidal		X	Х	Y	1/2. 1/2.	X			Y	Y	Stunning autumn colour, for residential areas with good soils.
Parrotia persica	Persian Parrotia	Small	Bark, Foliage and Autumn colourings	Pyramidal		X	1/2.	X	1/2.	X			X	<del>  ^</del>	Drought tolerant when established.
Pistacia chinensis	Chinese pistache	Medium	Foliage and Autumn colourings	Rounded		X	X	X		X			X	Х	Stunning autumn colour, for residential areas with good soils.
Quercus coccinea	Scarlet Oak	Large	Foliage and Autumn colourings	Rounded		X	1/2.	X	1/2.	X				X	Stongly grown feathered trees will perform the best in the landscape
Quercus palustris	Pin Oak	Large	Foliage and Autumn colourings	Pyramidal		Х	Х	Х		Х				Х	Stongly grown feathered trees will perform the best in the landscape
Tilia cordata	Small Leaved Linden	Large	Foliage and Autumn colourings	Rounded	_	Х	1/2.	Х		Х	_			Х	
Ulmus carpinifolia x parvifolia 'Frontier'	Frontier Elm	Medium	Foliage and Autumn colourings	Pyramidal		X	Х	X		X			Х	X	Bred in USA for Urban conditions.
Ulmus hollandica 'Lobel'	Lobel Elm	Large	Foliage and Autumn colourings	Upright		X	1/2.	X		X			X	X	Dutch Elm resistant.

Botanical Name							Fiaii	it Freie	rences			B	erm W	ıatn	
	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost	Plant in Groups	1.5 to 2m	2m to 4m	Above 4m	Comments
	Central Busine	ess District			KEY		efers or	olerates tolerates f	some			•			
	Native Trees ende	mic to Nelson													
Alectryon excelsus Tit	itoki	Medium	Foliage	Rounded	0	Х	Х		Х	1/2.			Х	Х	Frost tender in early years
Beilschmiedia tawa	awa	Large	Foliage	Upright	0	Χ	0		Х	1/2.				Х	Frost tender in early years
Dacrycarpus dacrydioides Ka	ahikatea	Large	Bark, Foliage	Upright	Х	Χ	0	1/2.	1/2.	Χ			Х	Х	
Dacrydium cupressinum Ri	limu	Large	Bark, Foliage	Upright	Х	Χ	1/2.	1/2.	1/2.	Χ				Х	
Hoheria angustifolia Na	larrow leafed lacebark	Medium	Foliage, Flowers	Upright	1/2.	Χ	Х	Х	0	Χ		Х	Х		
Plagianthus regius Lo	owland ribbonwood	Medium	Foliage, Flowers	Upright	1/2.	Χ	Х	Х	Х	Χ		Х	Х		Deciduous
Podocarpus totara To	otara	Large	Bark, Foliage	Rounded	0	Х	Х	Х	1/2.	Χ			Х	Х	
Prumnopitus ferruginea Mi	1iro		Bark, Foliage	Rounded	1/2.	Х	0	1/2.	1/2.	Х			Х	Х	Slow growing
	1atai		Bark, Foliage	Rounded	0	Х	Х	Х	1/2.	Х			Х	Х	Slow growing
-			Bark, Foliage	Upright		X	Х	Х	Х	1/2.	Χ	Х			
, , , , , , , , , , , , , , , , , , , ,			Foliage, Flowers, Fruits	Upright	1/2.	Υ	0	0		0	X		Х	X	Slow growing, frost tender
1 1 1			Foliage, Flowers, Fruits	Rounded	0	1/2.	У	Y	1/2.	X			X	X	Clow growing, host tonder
	Evergre	een				.,	,						^		
	1 0 11		Foliage	Upright			Х	Х		X		Х	Х		
Eucalyptus ficifolia Flo	lowering Gum		Flowers	Rounded		X	Х	Х		Χ			X	Х	
Hymenosporum flavum Au	ustrailian frangipani	Large	Foliage and Flowers	Upright		X	Х	Х		0		Χ	X		
Livistona australis Au	ustralian fan palm	J	Foliage	Upright	Х	X	Х	X	Х	1/2.			X	X	
Michelia doltsopia Mi	1ichelia	Medium	Foliage and Flowers	Pyramidal		Χ	Х	Х		1/2.			Х	Х	
Magnolia grandiflora 'Little Gem'	outhern Magnolia	Small to medium	Foliage and Flowers	Upright		Χ		X	X	X		Χ	Χ	Х	
Magnolia grandiflora 'Main Street'	outhern Magnolia	Medium	Foliage and Flowers	Upright		Χ		Х	Х	Χ			Х	Х	
Podocarpus macrophyllus Ye	ew Pine	Large	Foliage	Pyramidal		Х	Х	Х		0			Х	Х	
Olea 'Frantoio'	Olive	Medium	Fruits	Rounded		Χ	Х	Х					Х	Х	Good home garden variety
Olea 'Leccino'	Olive	Medium	Fruits	Rounded		Χ	Х	Х		Χ			Х	Х	More vigorous and higher yeilding than Frantoio
Olea 'Verdale'	Olive	Medium	Fruits	Rounded		Х	Х	Х		Χ			Х	Х	Tolerant of wind, frost, drought & wetter ground.
Syagrus romanzoffiana Qu	lueen Palm	Large	Foliage	Upright		Х	Х	Х		0			Х	Х	Specimens less than 2.2m tall are susceptible to frost
	astern Arborvitae	Medium	Foliage	Upright		Х	1/2.	Х		Χ		Х	Х		
	Decidue														
			Bark and Autumn colourings	Rounded		Χ	Х	Х		Χ		Χ	Х		
			Foliage and Autumn colourings	Pyramidal	1/2.	X	1/2.	Х		Χ			X	Х	
			Foliage	Pyramidal		X	Х	X		Χ			X	Х	Drought tolerant when established 1-2 years
			Foliage and Autumn colourings	Upright		X	Х	Х	1/2.	Χ		Χ	X		
	iquidamber		Foliage and Autumn colourings	Pyramidal		X	1/2.	Х		Χ			X	Х	Yellow branches when dormant
			Foliage and Autumn colourings	Pyramidal		X	1/2.	X		Χ			X	Х	
Liquidamber styraciflua 'Palo Alto'			Foliage and Autumn colourings	Pyramidal		X	1/2.	Х		Χ			Х	Х	
Liriodendron tulipifera fastigiata Ur			Foliage and Autumn colourings	Upright		Х	1/2.	Х	1/2.	Χ		Х	Х		
Lagerstromia indica 'Kimono' Cr	Crypemyrtle	Small	Bark, Flowers and Autumn colourings	Rounded		Х	Х	X		Χ			Х		
Lagerstromia indica 'Soir D'ete'	<b>31</b>		Bark, Flowers and Autumn colourings	Rounded		Х	Х	Х		Χ			Х		Very frost hardy
Lagerstromia indica 'Tango' Cr	Crypemyrtle	Small	Bark, Flowers and Autumn colourings	Rounded		X	Х	Х		Χ			Х		Very frost hardy
		Medium	Foliage and Autumn colourings	Rounded		Х	Х	Х		Χ			Х	Х	Stunning autumn colour, for residential areas with good soils.
Ulmus carpinifolia x parvifolia 'Frontier' Frontier'	rontier Elm	Medium	Foliage and Autumn colourings	Pyramidal		Х	Х	X		X			X	X	Bred in USA for Urban conditions.

								Plant	Prefere	nces			Berm Width	
	Botanical Name	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost	Plant in Groups	1.5 to 2m 2m to 4m Above	Comments
	Nel	son North - Cable Bay	to Posco Grov	70		ΕΥ		rs or toleraters or tolera				Groups		
φ	Nei	Native Trees endemic				₹	O = intoler		ates some					
Grov	Alectryon excelsus Beilschmiedia tawa	Titoki	Medium	Foliage	Rounded	0	X	Х		X	1/2.		X X	Frost tender in early years Frost tender in early years
ace	Cordyline australis ( Plant in groups) Corynocarpus laevigatus ( Plant in groups)	Cabbage tree Karaka	Large Medium Large	Foliage Foliage, Flowers Foliage, Fruits	Upright Upright Rounded	X	X	X	X 1/2.	0 X	0 X	X	X X	Fruits may be a deterrent from planting, very coastal.
to Pe	Dacrycarpus dacrydioides Dacrydium cupressinum	Rimu	Large Large	Bark, Foliage Bark, Foliage	Upright Upright	X X	X	0 1/2.	1/2. 1/2.	1/2. 1/2.	X X		X X	
ats t	Hoheria angustifolia Plagianthus regius Pseudopanax crassifolius ( Plant in groups)	Narrow leafed lacebark Lowland ribbonwood Lancewood	Medium	Foliage, Flowers Foliage, Flowers Bark, Foliage	Upright Upright Upright	1/2. 1/2.	X X	X X X	X X X	O X X	X X 1/2.	X	X X X X X X X	Deciduous
P E	Rhopalostylis sapida ( Plant in groups) Sophora microphylla	Nikau	Medium Medium	Foliage, Flowers, Fruits Foliage, Flowers, Fruits	Upright Rounded	1/2. O	X 1/2.	о х	о х	1/2.	0 X	X		Slow growing, frost tender
Sar	Assurancia hatanan halla	Evergreen  Norfolk Island Pine	11	[Fallana	Dimensidal		l v l	v	V	v 1				
uaka	Araucaria heterophylla Archontophoenix cunninghamiana Calodendrum capense	Bangalow Palm Cape Chestnut	Large Large Large	Foliage Foliage Foliage and Flowers	Pyramidal Upright Rounded	X	X X	1/2.	X X X	X 1/2. 1/2.	0 0 0		X X X X X X X	Will tolerate extremely light frosts only Requires fertile soil, with good drainage
akap	Hymenosporum flavum Livistona australis	Austrailian frangipani Australian fan palm	Large Large	Foliage and Flowers Foliage	Upright Upright	Х	X	X X	X	Х	O 1/2.		X X X	
<b>×</b>	Michelia doltsopia Metrodsideros excelsa Podocarpus macrophyllus		Medium Large Large	Foliage and Flowers Foliage	Pyramidal Rounded Pyramidal		1/2. X	X X X	X X X	1/2.	1/2. O		X X X X X X X X X X X X X X X X X X X	Frost tender in early years. For Coastal sites
forth	Syagrus romanzoffiana		Large	Foliage Foliage	Upright		X	X	X		0			Specimens less than 2.2m tall are susceptible to frost
o Lo	Cercis chinensis 'Avondale'	Redbud		Foliage and Flowers	Umbrella		Х	1/2.	Х		X			Young growth can be frosted.
Nels	Cercis reniformis 'Oklahoma' Gleditsia triacanthos 'Limelight' Gleditsia triacanthos 'Skyline'		Medium Medium Large	Foliage and Flowers Foliage and Autumn colourings Foliage and Autumn colourings	Umbrella Umbrella Umbrella		X X	1/2. X X	X X	1/2.	X		X X X X X X X X X	Young growth can be frosted.
	Jacaranda mimosaefolia Koelreuteria paniculata	Jacaranda Golden Rain Tree	Medium Large	Foliage and Flowers Foliage, Flowers & Autumn colourings	Umbrella Rounded		X	1/2. X	X	1/2.	O X		X X X	Frost tender
	Lagerstromia indica 'Kimono' Lagerstromia indica 'Soir D'ete' Lagerstromia indica 'Tango'	Crypemyrtle	Small Small Small	Bark, Flowers and Autumn colourings Bark, Flowers and Autumn colourings Bark, Flowers and Autumn colourings	Rounded Rounded Rounded		XXXX	X X X	X X X		X X X		X	Very frost hardy Very frost hardy
	Melia azedarach Pistacia chinensis	China berry	Medium Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Rounded		X	X	X	1/2.	X		X X X	A fast grower and will lift footpaths. Needs room to grow.  Stunning autumn colour, for residential areas with good soils.
	Zelkova serrata		Medium	Bark, Foliage and Autumn colourings	Umbrella		Х	Х	Х		Х		хх	Drought resistant once established
	Botanical Name	Common Name	Tree size	Visual Interest	Shape		<u> </u>	Plant	Prefere	nces			Berm Width	Comments
ıks	Botamoar Hame	Common Name	1100 3120	Viodai interest	Опаро	Wet	Moist	Dry	Sun	Shade	Frost	Plant in Groups	1.5 to 2m 2m to 4m Above	
I Tan	Port Nelson -	Haven Foreshore, Akers	ston Foreshore	e to Oil Tanks		KEY		rs or toleraters or toleraters						
to Oi		Native Trees endemic		_	_			Turn or						
lore	Alectryon excelsus Cordyline australis ( Plant in groups) Corynocarpus laevigatus ( Plant in groups)		Medium Medium Large	Foliage Foliage, Flowers Foliage, Fruits	Rounded Upright Rounded	X O	X X X	X X X	X 1/2.	X O X	1/2. O X	X	X X X X X X X X X X X X X X X X X X X	Frost tender in early years  Fruits may be a deterrent from planting, very coastal.
resh	Hoheria angustifolia Plagianthus regius	Narrow leafed lacebark Lowland ribbonwood	Medium	Foliage, Flowers Foliage, Flowers	Upright Upright	1/2.	X	X	X X	о Х	X	^	X X X X	Deciduous
n Fo	Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups)	Nikau	Small Medium	Bark, Foliage Foliage, Flowers, Fruits	Upright Upright	1/2.	X	X 0	X 0	Х	1/2. O	X		Slow growing, frost tender
ersto	Sophora microphylla	Kowhai <b>Evergreen</b>	Medium	Foliage, Flowers, Fruits	Rounded	0	1/2.	X	Х	1/2.	X		X X	
, Ake	Archontophoenix cunninghamiana Calodendrum capense	Cape Chestnut	Large Large	Foliage Foliage and Flowers	Upright Rounded	X 0	X	1/2.	X	1/2. 1/2.	0		X X	Will tolerate extremely light frosts only Requires fertile soil, with good drainage
hore	Eucalyptus ficifolia Hymenosporum flavum Livistona australis		Medium Large	Foliage and Flowers	Rounded Upright Upright	x	X X X	X	X X X	х	X O 1/2.		X X X X X	
Fors	Metrodsideros excelsa Podocarpus macrophyllus	Pohutukawa Yew Pine	Large Large	Foliage Foliage Foliage	Rounded Pyramidal	X	1/2. X	X	X	1/2.	0		X X X X	Frost tender in early years. For Coastal sites
ven	Syagrus romanzoffiana	Queen Palm  Deciduous	Large	Foliage	Upright		Х	Х	Х		0		X X	Specimens less than 2.2m tall are susceptible to frost
- Ha	Cercis chinensis 'Avondale' Cercis reniformis 'Oklahoma'		Medium Medium	Foliage and Flowers Foliage and Flowers	Umbrella Umbrella		X	1/2. 1/2.	X	1/2. 1/2.	X		X X X X	Young growth can be frosted.  Young growth can be frosted.
lson	Gleditsia triacanthos 'Limelight' Gleditsia triacanthos 'Skyline'	Locust	Medium Large	Foliage and Autumn colourings Foliage and Autumn colourings	Umbrella Umbrella		X	X	X		X		X X X X	
r Ne	Jacaranda mimosaefolia Koelreuteria paniculata Lagerstromia indica 'Kimono'	Golden Rain Tree	Medium Large Small	Foliage and Flowers Foliage, Flowers & Autumn colourings Bark, Flowers and Autumn colourings	Umbrella Rounded Rounded		X X	1/2. X X	X X X	1/2.	X X		X X X X X X	Frost tender
Po	Lagerstromia indica 'Soir D'ete' Lagerstromia indica 'Tango'	Crypemyrtle Crypemyrtle	Small Small	Bark, Flowers and Autumn colourings Bark, Flowers and Autumn colourings	Rounded Rounded		X	X	X		X		X	Very frost hardy Very frost hardy
	Melia azedarach Pistacia chinensis Zelkova serrata	Chinese pistache	Medium Medium Medium	Foliage and Flowers Foliage and Autumn colourings Bark, Foliage and Autumn colourings	Rounded Rounded Umbrella		X X	X X X	X X X	1/2.	X X X		X X X X X X X X	A fast grower and will lift footpaths. Needs room to grow.  Stunning autumn colour, for residential areas with good soils.  Drought resistant once established
	Zeikova Seriata	Japanese Zeikova	INICUIUM	Bark, Foliage and Addinin colourings	Onbreila				Prefere	nces			Berm Width	Drought resistant once established
uo	Botanical Name	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost	Plant in	1.5 to 2m 2m to 4m Above	Comments
creati						vvei	X = Prefer	rs or tolerat	tes	Snaue	Fiosi	Groups	1.5 to 2iii 2iii to 4iii Above	*****
iui Re	Rocks Road-	· Wakefield Quay to Tahı		tion Reserve		ΚĒ	1/2 = Prefe O = intoler	ers or tolera	ates some					
unar	Cordyline australis ( Plant in groups)	Native Trees endemic  Cabbage tree	to Nelson Medium	Foliage, Flowers	Upright	Х	Х	Х	Х	0	0	Х	X X	
o Tal	Corynocarpus laevigatus ( Plant in groups) Pseudopanax crassifolius ( Plant in groups)		Large Small	Foliage,Fruits Bark, Foliage	Rounded Upright	0	X	X X	1/2. X	X X	X 1/2.	X	Х	Fruits may be a deterrent from planting, very coastal.
luay t	Rhopalostylis sapida ( Plant in groups)	Nikau <b>Evergreen</b>	Medium	Foliage, Flowers, Fruits	Upright	1/2.	X	0	0		0	X	X   X	Slow growing, frost tender
eld Q Res	Archontophoenix cunninghamiana Hymenosporum flavum		Large Large	Foliage Foliage and Flowers	Upright Upright	Х	X	Х	X	1/2.	0		X X	Will tolerate extremely light frosts only
akefi	Livistona australis Michelia doltsopia Metrodsideros excelsa	Michelia	Large Medium Large	Foliage Foliage and Flowers Foliage and Flowers	Upright Pyramidal Rounded	Х	X X 1/2.	X X X	X X X	1/2.	1/2. 1/2. O		X X X X X X X X	Frost tender in early years. For Coastal sites
× - p	Syagrus romanzoffiana		Large	Foliage	Upright		X X	X	X	1/4.	0			Specimens less than 2.2m tall are susceptible to frost
Roa	Gleditsia triacanthos 'Limelight'	Lime Locust	Medium	Foliage and Autumn colourings	Umbrella		X	Х	Х		X		X X	
<b>S</b>	Gleditsia triacanthos 'Skyline' Jacaranda mimosaefolia	Locust Jacaranda	Large Medium	Foliage and Autumn colourings Foliage and Flowers	Umbrella Umbrella		X	X 1/2.	X		Х О		X X X X X X X X X X X X X X X X X X X	Frost tender
<u> </u>	Lagerstromia indica 'Kimono'	Crypemyrtle	Small	Bark, Flowers and Autumn colourings	Rounded		Х	Х	Х		X		X	
Roc	Lagerstromia indica 'Kimono' Lagerstromia indica 'Soir D'ete' Lagerstromia indica 'Tango' Pistacia chinensis	Crypemyrtle Crypemyrtle	Small Small Small Medium	Bark, Flowers and Autumn colourings Bark, Flowers and Autumn colourings Bark, Flowers and Autumn colourings Foliage and Autumn colourings	Rounded Rounded Rounded Rounded		X X X	X X X	X X X		X X X		X X X	Very frost hardy Very frost hardy Stunning autumn colour, for residential areas with good soils.

<b>\( \)</b>								Plar	nt Prefer	ences			Berm Wic	dth	
emete	<b>Botanical Name</b>	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost	Plant in Groups 1.5 to 2	m 2m to 4m	Above 4m	Comments
₩ Ç						>-		ers or tole				Groups			
eavie	Tahunanui - Tahunanui Red	reation Reserve to Seavi	iew Cemetery ii	ncluding Monaco Peninsula		Ā	1/2 = Pre O = intole		erates some	•					
cords Cords	wline australis ( Plant in groups)	Native Trees endemic	to Nelson  Medium	Foliage, Flowers	Upright	l v	l v	X	V		1 0		Х	l x	T
Corny	yline australis ( Plant in groups) ycarpus laevigatus ( Plant in groups) eria angustifolia		Large	Foliage, Flowers Foliage, Flowers	Upright Rounded Upright	X O 1/2.	X	X	1/2. X	O X O	X	X X	X		Fruits may be a deterrent from planting, very coastal.
Plagia	anthus regius Idopanax crassifolius ( Plant in groups)	Lowland ribbonwood Lancewood	Medium Small	Foliage, Flowers Bark, Foliage	Upright Upright	1/2.	X	X	X	X	X 1/2.	X X	X		Deciduous
Rhop	palostylis sapida ( Plant in groups) nora microphylla	Nikau	Medium Medium	Foliage, Flowers, Fruits Foliage, Flowers, Fruits	Upright Rounded	1/2. O	X 1/2.	O X	O X	1/2.	O X	Х		X	Slow growing, frost tender
ecre		Evergreen													
Hyme	llyptus ficifolia enosporum flavum	Austrailian frangipani	Large	Flowers Foliage and Flowers	Rounded Upright		X	X	X		X 0	X	X		
	rus romanzoffiana	Queen Palm	Large Large	Foliage Foliage	Upright Upright	Х	X	X	X	Х	1/2. O		X		Specimens less than 2.2m tall are susceptible to frost
Acer	arisəlim	Deciduous  Paperbark Maple		Bark and Autumn colourings	Rounded	1	l y	Y	Х		X	X	X		T
Acer	griseum freemanii 'Autumn Blaze' itsia triacanthos 'Limelight'	Autumn Blaze Maple		Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Umbrella	1/2.	X	1/2.	X		X	^	X	X	
Gledi	itsia triacanthos 'Skyline' is carpinifolia x parvifolia 'Frontier'	Locust	Large Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Umbrella Pyramidal		X	X	X		X		X	Х	Bred in USA for Urban conditions.
Ulmu	ıs hollandica 'Lobel' ova serrata		Large	Foliage and Autumn colourings Bark, Foliage and Autumn colourings	Upright Umbrella		X	1/2. X	X		X		X	Х	Dutch Elm resistant.  Drought resistant once established
								Plar	nt Prefer	ences			Berm Wic	ith	
	<b>Botanical Name</b>	Common Name	Tree size	Visual Interest	Shape	Mark	Maint				Frank	Plant in			Comments
						Wet	Moist V - Profe	Dry	Sun	Shade	Frost	Groups 1.5 to 2	m 2m to 4m	Above 4n	
	Stoke	- South of Wakatu Drive	e to Champion F	Road		ΚΕΥ			erates erates some	)					
		Native Trees endemic	to Nelson			•	, mton	VI							
Dacry	yline australis ( Plant in groups) ycarpus dacrydioides	Cabbage tree Kahikatea	Medium Large	Foliage, Flowers Bark, Foliage	Upright Upright	X	X	X	1/2.	0 1/2.	O X	X	X	X	
Dacry Hohe	ydium cupressinum eria angustifolia	Rimu Narrow leafed lacebark	Large Medium	Bark, Foliage Foliage, Flowers	Upright Upright	X 1/2.	X	1/2. X	1/2. X	1/2. O	X	х	Х	Х	
Plagia Podo	anthus regius ocarpus totara	Totara	Medium Large	Foliage, Flowers Bark, Foliage	Upright Rounded	1/2. O	X	X	X	X 1/2.	X	Х	X	Х	Deciduous
Prum	nnopitus ferruginea nnopitus taxifolia	Matai	Large Large Small	Bark, Foliage Bark, Foliage	Rounded Rounded	1/2. O	X	O X	1/2. X	1/2.	X		X		Slow growing Slow growing
	dopanax crassifolius ( Plant in groups) ora microphylla	Lancewood Kowhai	Small Medium	Bark, Foliage Foliage, Flowers, Fruits	Upright Rounded	0	1/2.	X	X	X 1/2.	1/2. X	X X	Х	Х	
dwa	essus sempervirens stricta	Evergreen		Foliage	Unright		ı	v	l v		Х	X	X		T
Miche	essus sempervirens stricta elia doltsopia nolia grandiflora 'Little Gem'	Michelia	Medium	Foliage Foliage and Flowers Foliage and Flowers	Upright Pyramidal Upright		X	X	X	Y	1/2. X	X	X		
Magn	nolia grandiflora 'Main Street' 'Frantoio'	Southern Magnolia	Medium Medium	Foliage and Flowers Fruits	Upright Rounded		X	X	X	X	X	^	X	Х	Good home garden variety
Olea	'Leccino' 'Verdale'	Olive	Medium Medium	Fruits Fruits	Rounded Rounded		X	X	X		X		X		More vigorous and higher yeilding than Frantoio Tolerant of wind, frost, drought & wetter ground.
	a occidentalis 'Pyramidalis'	Eastern Arborvitae	Medium	Foliage	Upright		X	1/2.	X		X	Х	X		Polorante of Wind, Freed, dreaging a Wester ground.
Acer	griseum	Deciduous  Paperbark Maple		Bark and Autumn colourings	Rounded		X	Х	Х		Х	X	X		
Acer	freemanii 'Autumn Blaze' rubrum 'Bowhall'		Medium Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Upright	1/2. 1/2.	X	1/2. 1/2.	X		X	X	X	X	
	rubrum 'Columnaire' saccharum	Sugar Maple	Medium Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Upright Rounded	1/2. 1/2.	X	1/2. 1/2.	X	1/2.	X	X	X	X	
Coryl	inus japonica Ius corluna	Turkish Filbert	Small Medium	Foliage and Flowers Foliage	Pyramidal Pyramidal		X	1/2. X	X	1/2.	X	X			Drought tolerant when established 1-2 years
Gink	nus pensylvanica go biloba 'fastigiata' Male tree only		Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Upright		X	X	X	1/2.	X	X	X	X	
Gledi	itsia triacanthos 'Limelight' itsia triacanthos 'Skyline'		Medium Large Large	Foliage and Autumn colourings Foliage and Autumn colourings	Umbrella Umbrella		X	X	X		X		X	X	
Liquid	reuteria paniculata damber styraciflua 'Lane Roberts' damber styraciflua 'Palo Alto'	Liquidamber	Large	Foliage, Flowers & Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Pyramidal Pyramidal		X X X	1/2.	X	1/2.	X		X	X	
Liquid	damber styraciflua 'Palo Alto damber styraciflua 'Worplesdon' dendron tulipifera	Liquidamber Liquidamber Tuliptree	Large Large Large Medium	Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Pyramidal Rounded		X	1/2. 1/2. 1/2.	X	1/2.	X		X		Round seed pods develop on mature trees.
Liriod	dendron tulipifera fastigiata			Foliage and Autumn colourings	Upright		X	1/2.	X	1/2.	X	X	Х		Selections currently used are 'Milky Way', 'Star Wars', 'Susan', 'Vulcan'. All need good soils and room to develop roots. Roots are easily damaged to
	nolia cultivars. New selections ongoing based upon flower colours.  a sylvatica	· ·	Medium Medium	Foliage and Flowers Foliage and Autumn colourings	Rounded Pyramidal		X		X	1/2.	X		X	X	the detriment of the tree.  Stunning autumn colour, for residential areas with good soils.
	cia chinensis cus coccinea		Medium Large	Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Rounded		X	X 1/2.	X	1/2.	X		Х	Х	Stunning autumn colour, for residential areas with good soils.  Stongly grown feathered trees will perform the best in the landscape
Quero Tilia o	cus palustris cordata	Pin Oak Small Leaved Linden	Large Large	Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Rounded		X	X 1/2.	X		X			X	Stongly grown feathered trees will perform the best in the landscape
	ıs carpinifolia x parvifolia 'Frontier' ıs hollandica 'Lobel'	Frontier Elm	Medium Large	Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Upright		X	X 1/2.	X		X		X		Bred in USA for Urban conditions.  Dutch Elm resistant.
								Plar	nt Prefer	ences			Berm Wic	dth	
	<b>Botanical Name</b>	Common Name	Tree size	Visual Interest	Shape	Wet	Maiat				Freet	Plant in 4.5 to 6			Comments
						Wet	Moist X = Prefe	Dry ers or tole	Sun	Shade	Frost	Groups 1.5 to 2	m 2m to 4m	Above 4m	
		Coastal Hill Co	untry			, KE		fers or tol	erates some	)					
		Native Trees endemic													
Beilso	ryon excelsus chmiedia tawa	Tawa	Medium Large	Foliage Foliage	Rounded Upright	0	X	X 0	0	X X		X	X		Frost tender in early years
Noth	ydium cupressinum ofagus solandri var.solandri	Rimu Black Beech	Large Large Large	Bark, Foliage Foliage, Flowers	Upright Rounded	X 0	X	1/2. X	1/2. X	1/2. 1/2.			X	Х	Honeydew potential would dictate use next to parking areas
Prum	ofagus truncata nnopitus taxifolia	Matai	Large	Foliage, Flowers Bark, Foliage	Rounded Rounded	0	1/2. X	X	X	1/2.			X		Partly decidous in late winter early spring Slow growing
Pseu	dopanax crassifolius (Plant in groups) dopanax ferox (Plant in groups)	Toothed Lancewood	Small Small	Bark, Foliage Bark, Foliage	Upright Upright	0	X	X	X	1/2.		X	X	<b></b>	Only Nth of Delaware Inlet, nationally rare
Rhop	palostylis sapida ( Plant in groups)	Nikau <b>Evergreen</b>	Medium	Foliage, Flowers, Fruits	Upright	1/2.	X	0	0				X	<u> </u>	Slow growing, frost tender
	essus sempervirens stricta	Upright cypress	Medium Large	Foliage Foliage and Flowers	Upright Rounded		1/2.	X	X	1/2.	X	X	X	X	Requires cool root run
Miche	elia doltsopia nolia grandiflora 'Main Street'	Michelia	Large Medium Medium	Foliage and Flowers Foliage and Flowers Foliage and Flowers	Pyramidal Upright		X X	X	X	1/2.	1/2. X		X		Trequires sour root run
Olea	'Frantoio' 'Leccino'	Olive	Medium Medium	Fruits Fruits	Rounded Rounded		X	X	X	^	X		X		Good home garden variety  More vigorous and higher yeilding than Frantoio
Olea	'Verdale' irus romanzoffiana ( Plant in groups)	Olive	Medium Large	Fruits Foliage	Rounded Upright		X	X	X		X		X	X	Tolerant of wind, frost, drought & wetter ground.  Specimens less than 2.2m tall are susceptible to frost
		Deciduous													
Acer	freemanii 'Autumn Blaze' rubrum 'Bowhall'	Bowhall Maple	Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Upright	1/2. 1/2.	X	1/2. 1/2.	X		X	X	X	Х	
Carpi	rubrum 'Columnaire' inus japonica	Japanese Hornbeam	Medium Small	Foliage and Autumn colourings Foliage and Flowers	Upright Pyramidal	1/2.	X	1/2.	X	1/2.	X	X			
Gledi	lus corluna itsia triacanthos 'Limelight'	Lime Locust	Medium Medium	Foliage Autumn colourings	Pyramidal Umbrella		X	X	X		X		X	Х	Drought tolerant when established 1-2 years
Melia	itsia triacanthos 'Skyline' a azedarach		Large Medium Medium	Foliage and Autumn colourings Foliage and Flowers	Umbrella Rounded		X	X	X	1/2.	X		X	Х	A fast grower and will lift footpaths. Needs room to grow.
	cia chinensis us carpinifolia x parvifolia 'Frontier' us hollandica 'Lobel'	Frontier Elm	Medium Medium Large	Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Pyramidal Upright		X	X X 1/2.	X		X		X	Х	Stunning autumn colour, for residential areas with good soils.  Bred in USA for Urban conditions.  Dutch Elm resistant.
	O HUHAHARA LAMA	LODOI FIIII	190	Bark, Foliage and Autumn colourings	Umbrella		X	1/2. X	X		X				Drought resistant once established

		l					Pla	nt Prefe	ences			В	erm Wi	dth	
Botanical Name	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost	Plant in Groups	1.5 to 2m	2m to 4n	n Above 4	Comments  4m
						X = Pref	fers or tole	erates			Groups				
Was	shington Valley to	Annesbrook			ΚĒ		efers or to	lerates som	е						
1	Native Trees endemic	c to Nelson				•						•			
Alectryon excelsus Beilschmiedia tawa	Titoki Tawa	Medium Large	Foliage Foliage	Rounded Upright	0	X	X	0	X			X	X	Х	Frost tender in early years
Cordyline australis ( Plant in groups)	Cabbage tree	Medium	Foliage, Flowers	Upright	Х	Х	Х	Х	0		Х		Х		
Dacrycarpus dacrydioides  Dacrydium cupressinum	Kahikatea Rimu	Large Large	Bark, Foliage Bark, Foliage	Upright Upright	X	X	0 1/2.	1/2.	1/2.			, , , , , , , , , , , , , , , , , , ,	X	X	
Hoheria angustifolia Nestegis cunninghamii	Narrow leafed lacebark Black maire	Large	Foliage, Flowers Foliage, Flowers, Fruits	Upright Rounded	1/2. O	X	X 0	X 0	O X			X	X	Х	
Nothofagus menziesii Nothofagus solandri var.solandri	Silver beech Black Beech	Large Large	Foliage Foliage, Flowers	Rounded Rounded	X 0	X	X	1/2. X	1/2. 1/2.				X	X	Honeydew potential would dictate use next to parking areas
Plagianthus regius Podocarpus hallii	Lowland ribbonwood Thin barked totara	Medium Large	Foliage, Flowers Bark, Foliage	Upright Rounded	1/2. O	X	X	X	X 1/2.			Х	X	Х	Deciduous
Podocarpus totara Prumnopitus ferruginea	Totara Miro	Large Large	Bark, Foliage Bark, Foliage	Rounded Rounded	0 1/2.	X	X	X 1/2.	1/2. 1/2.				X	X	Slow growing
Prumnopitus taxifolia	Matai	Large Small	Bark, Foliage	Rounded	0	Х	Х	Х	1/2.		V	V	X	X	
Pseudopanax crassifolius (Group Plantings)	Lancewood Evergreen		Bark, Foliage	Upright		X	Х	X	X		X	<u> </u>			
Michelia doltsopia	Michelia	Medium	Foliage and Flowers	Pyramidal		Х	Х	Х		1/2.			Х	Х	
Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street'	Southern Magnolia Southern Magnolia	Small to medium  Medium	Foliage and Flowers Foliage and Flowers	Upright Upright		X		X	X	X		Х	X		
Metrosideros umbellata Olea 'Frantoio'	Southern Rata Olive	Large Medium	Foliage and Flowers Fruits	Rounded Rounded		1/2. X	X	X	1/2.	Х			X	X	Requires cool root run Good home garden variety
Olea 'Leccino' Olea 'Verdale'	Olive Olive	Medium Medium	Fruits Fruits	Rounded Rounded		X	X	X		X			X	X	More vigorous and higher yeilding than Frantoio Tolerant of wind, frost, drought & wetter ground.
Thuya occidentalis 'Pyramidalis'		Medium	Foliage	Upright			1/2.	X		X		Х	X		Tolerant of wind, frost, drought & wetter ground.
	Deciduous			1_		-						T -			
Acer griseum Acer freemanii 'Autumn Blaze'	Paperbark Maple Autumn Blaze Maple	Small Medium	Bark and Autumn colourings Foliage and Autumn colourings	Rounded Pyramidal	1/2.	X	X 1/2.	X		X		X	Х	Х	
Acer rubrum 'Bowhall' Acer rubrum 'Columnaire'	Bowhall Maple Column Maple	Medium Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Upright Upright	1/2. 1/2.	X	1/2. 1/2.	X		X		X			
Acer saccharum Corylus corluna	Sugar Maple Turkish Filbert	Medium Medium	Foliage and Autumn colourings Foliage	Rounded Pyramidal	1/2.	X	1/2.	X	1/2.	X			X	X	
Fraxinus pensylvanica	Green Ash		Foliage and Autumn colourings	Rounded		Х	X	X	1/0	Х		V	X	X	Drought tolerant when established 1-2 years
Ginkgo biloba 'fastigiata' Gleditsia triacanthos 'Skyline'	Upright Gingko Locust	Medium Large	Foliage and Autumn colourings Foliage and Autumn colourings	Upright Umbrella		X	X	X	1/2.	Х		X	X	Х	
Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Palo Alto'	Liquidamber Liquidamber	Large Large	Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Pyramidal		X	1/2. 1/2.	X		X			X	X	
Liriodendron tulipifera Liriodendron tulipifera fastigiata	Tuliptree Upright Tuliptree	Large Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Upright		X	1/2. 1/2.	X	1/2. 1/2.	X		Х	X	Х	
Melia azedarach Nyssa sylvatica	China berry Tupelo	Medium Medium	Foliage and Flowers Foliage and Autumn colourings	Rounded Pyramidal		X	Х	X	1/2.	Х			X	X	A fast grower and will lift footpaths. Needs room to grow.  Stunning autumn colour, for residential areas with good soils.
Pistacia chinensis	Chinese pistache	Medium	Foliage and Autumn colourings	Rounded		Х	X	Х		Х			X	X	Stunning autumn colour, for residential areas with good soils.
Quercus coccinea Quercus palustris	Scarlet Oak Pin Oak	Large Large	Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Pyramidal		X	1/2. X	X	1/2.	X				X	Stongly grown feathered trees will perform the best in the landscape  Stongly grown feathered trees will perform the best in the landscape
Tilia cordata Ulmus carpinifolia x parvifolia 'Frontier'	Small Leaved Linden Frontier Elm	Large Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Pyramidal		X	1/2. X	X		X			Х	X	Bred in USA for Urban conditions.
Zelkova serrata	Japanese zelkova	Medium	Bark, Foliage and Autumn colourings	Umbrella		Х									
			Dark, I oliage and Addition colourings	Tombreila			X	X		X			Х	X	Drought resistant once established
			Bark, I oliage and Automit colourings				Α	nt Prefe	rences	X		В	erm Wi		Drought resistant once established
Botanical Name	Common Name	Tree size		Shape	Wet	Moist	Α		rences	Frost	Plant in	1.5 to 2m	erm Wi	dth	Comments
Botanical Name	Common Name	Tree size			Wet	Moist	Pla	Sun		Frost	Plant in Groups		erm Wi	dth	Comments
	Common Name				Wet	Moist X = Pref- 1/2 = Pre	Pla Dry fers or tolerers or to	Sun	Shade	Frost			erm Wi	dth	Comments
		District			Wet	Moist X = Pref	Pla Dry fers or tolerers or to	Sun	Shade	Frost			erm Wi	dth	Comments
Alectryon excelsus	Central Business  Native Trees endemic	District to Nelson Medium	Visual Interest  Foliage	Shape	O KEY	Moist  X = Pref 1/2 = Pre O = intol	Pla  Dry  fers or tole efers or to	Sun	Shade	1/2.			erm Wi	dth  Above 4	Comments  Frost tender in early years
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides	Central Business Native Trees endemic	District  to Nelson  Medium  Large  Large	Visual Interest  Foliage Foliage Bark, Foliage	Shape  Rounded Upright Upright	0 0 K	Moist  X = Prefet   1/2 = Prefet   O = intole  X	Pla  Dry  fers or tole efers or to lerant of	Sun erates elerates som	Shade e  X X 1/2.	1/2. 1/2. X			erm Wi	Above 4	Frost tender in early years Frost tender in early years
Alectryon excelsus Beilschmiedia tawa	Central Business  Native Trees endemic	District  to Nelson  Medium  Large  Large  Large  Large	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers	Shape  Rounded Upright	O O KEY	Moist  X = Prefe 1/2 = Pre O = intole  X	Pla  Dry  fers or tole efers or to lerant of	Sun erates elerates som	Shade e X X	1/2. 1/2. X X			erm Wi	dth  Above 4	Frost tender in early years Frost tender in early years
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood	Medium Large Large Large Large Medium Medium Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers	Rounded Upright Upright Upright Upright Upright Upright Upright	O O X X X 1/2.	Moist  X = Pref 1/2 = Pre O = intole  X  X  X	Pla  Dry  fers or tole efers or to lerant of  X  0  1/2.	Sun erates elerates som	Shade  X	1/2. 1/2. X X			erm Wide 2m to 4m	Above 4	Frost tender in early years Frost tender in early years
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro	Medium Large Large Large Medium Medium Large	Foliage Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded	O O X X 1/2. 1/2. O 1/2.	Moist  X = Prefet   1/2 = Prefet   O = intole  X	Pla  Dry  fers or tole efers or tole efers or tole 1/2.  X  X  X  O	Sun erates elerates som  1/2. 1/2. X X X X 1/2.	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2.	1/2. 1/2. X X X X X			2m to 4m	Above 4	Frost tender in early years Frost tender in early years  Frost tender in early years  Deciduous  Slow growing
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups)	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood	Medium Large Large Large Medium Large	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Foliage, Flowers Bark, Foliage	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Rounded Upright	O O X X 1/2. 1/2. O 1/2. O	X = Pref- 1/2 = Pre   O = intol-   X	Pla  Dry  fers or tole efers or tole efers or tol  1/2.  X  X  X  X  X  X  X  X	Sun erates elerates som  1/2. 1/2. X X X X 1/2. X X	Shade  X X 1/2. 1/2. 0 X 1/2.	1/2. 1/2. X X X X			2m to 4m  X  X  X  X  X  X  X	Above 4	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai	Medium Large Large Large Medium Medium Large	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Rounded	O O X X 1/2. 1/2. O 1/2.	X = Pref   1/2 = Pre   O = intole   X	Pla  Dry  fers or tole efers or tole lerant of  X  0  1/2.  X  X  X  O  X	Sun erates elerates som  1/2. 1/2. X X X X 1/2. X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2.	1/2. 1/2. X X X X X X			2m to 4m	Above 4	Frost tender in early years Frost tender in early years  Frost tender in early years  Deciduous  Slow growing
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Plant in groups) Rhopalostylis sapida (Plant in groups) Sophora microphylla	Central Business  Native Trees endemic Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai	Medium Large Medium Medium Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Rounded Upright Upright Rounded	O O X X X 1/2. 1/2. O 1/2. O	X = Pref- 1/2 = Pre   O = intol-   X	Pla  Dry  fers or tole efers or tole efers or tol  1/2.  X  X  X  X  X  X  O  X  X  O  X  X  O	Sun erates elerates som  1/2.  1/2.  X  X  X  1/2.  X  X  X  X  X  X  X  X  X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X			erm Wie	Above 4	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups)	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai	Medium Large Medium Medium Medium Medium Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage	Rounded Upright Upright Upright Upright Upright Rounded Rounded Rounded Upright Upright	O O X X X 1/2. 1/2. O 1/2. O	X = Pref- 1/2 = Pre   O = intol-   X	Pla  Dry  fers or tole efers or tole efers or tol  1/2.  X  X  X  X  X  X  O  X  X  O  X  X  O	Sun erates elerates som  1/2.  1/2.  X  X  X  1/2.  X  X  O	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X			erm Wie	Above 4	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Plant in groups) Rhopalostylis sapida (Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum	Central Business  Native Trees endemic Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai Evergreen Upright cypress	Medium Large	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage	Rounded Upright Upright Upright Upright Upright Rounded Rounded Upright Rounded	O O X X X 1/2. 1/2. O 1/2. O	X = Pref   1/2 = Pre   O = intole   X	Pla  Dry  fers or tole efers or tole efers or tol lerant of  X O O 1/2. X X X O X X X X X X X X X X X X X X X	Sun erates elerates som  1/2.  1/2.  X  X  X  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X X X X X X X			2m to 4m  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia	Central Business  Native Trees endemic Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia	Medium Large Medium Medium Medium Large Large Large Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Rounded	O O O X X X 1/2. 1/2. O 1/2. O	X = Pref-   1/2 = Pre-   O = intole   X	Pla  Dry  fers or tole efers or tole efers or tol lerant of  X O O 1/2. X X X O X X X X X X X X X X X X X X X	Sun erates elerates som  1/2.  1/2.  X  X  X  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X X 1/2. O X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X	Above 4	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street'	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia	Medium Large Small Medium Medium Medium Medium Medium Medium Medium Large Large Large Medium Medium Medium Medium Medium Medium Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage and Flowers	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Upright Upright Rounded Upright Upright Rounded Upright Upright Rounded Upright	O O O X X X 1/2. 1/2. O 1/2. O	X = Pref   1/2 = Pre   O = intole   X   X   X   X   X   X   X   X   X	Pla  Dry  fers or tole efers or tole efers or tol efers or tol 0 1/2.  X X X O X X X X X X X X X X X X X X X	Sun erates elerates som  1/2. 1/2. X X X X X X X X X X X X X X X X X X X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X X X X X X X X 1/2. O X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem'	Central Business  Native Trees endemic Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Australian frangipani Australian fan palm Michelia Southern Magnolia	District  to Nelson  Medium  Large  Small  Medium  Medium  Medium  Medium  Large  Large  Medium  Medium  Large  Large  Medium  Medium  Large  Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Foliage Fruits	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Upright Upright Rounded Upright Pyramidal Upright	O O O X X X 1/2. 1/2. O 1/2. O	X = Pref   1/2 = Pre   O = intole   X   X   X   X   X   X   X   X   X	Pla  Dry  fers or tole efers or tole efers or tol lerant of  X O O 1/2. X X X O X X X X X X X X X X X X X X X	Sun erates elerates som  1/2.  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X X 1/2. O X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years  Deciduous  Slow growing Slow growing Slow growing, frost tender
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Plant in groups) Rhopalostylis sapida (Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Podocarpus macrophyllus	Central Business  Native Trees endemic Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine	Medium Large Small Medium Medium Medium Medium Large Medium Large	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage and Flowers Foliage	Rounded Upright Upright Upright Upright Upright Rounded Rounded Rounded Upright Upright Upright Upright Upright Upright Upright Upright Rounded Upright Pyramidal Upright Upright Pyramidal Upright Pyramidal	O O O X X X 1/2. 1/2. O 1/2. O	X = Pref   1/2 = Pre   O = intole   X	Pla  Dry  fers or tole efers or tole efers or tol efers or tol 0 1/2.  X X X O X X X X X X X X X X X X X X X	Sun erates elerates som  1/2. 1/2. X X X X X X X X X X X X X X X X X X X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X X X X X X X X 1/2. O X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing Slow growing, frost tender  Good home garden variety More vigorous and higher yeilding than Frantoio
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Leccino'	Central Business  Native Trees endemic Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive	Medium Large Medium Medium Medium Medium Medium Large Large Large Medium Medium Large Large Medium Large Medium Large Medium Large	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Fruits Fruits Fruits Fruits Fruits Fruits Foliage	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Rounded Upright Rounded Upright Rounded Upright Rounded Upright Upright Pyramidal Upright	O O O X X X 1/2. 1/2. O 1/2. O	X = Pref-   1/2 = Pre-   O = intole   X	Pla  Dry  fers or tole efers or tole efers or tole 1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Sun erates elerates som  1/2.  1/2.  X  X  X  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X 1/2. O X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing Slow growing Slow growing More vigorous and higher yeilding than Frantoio Tolerant of wind, frost, drought & wetter ground.
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Leccino' Olea 'Verdale' Syagrus romanzoffiana	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive Olive Queen Palm	Medium Large Medium Medium Medium Large Large Medium Large Large Medium Large Medium Medium Large Medium Large Medium Large Medium Medium Large Medium Medium Large Medium Medium Medium Large Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage Foliage Foliage Fruits Fruits Fruits Fruits	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Rounded Upright Rounded Upright Rounded Upright Rounded Upright Rounded Rounded Rounded Rounded Rounded Rounded	O O O X X X 1/2. 1/2. O 1/2. O	X	Pla  Dry  fers or tole efers or tole efers or tole 1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Sun erates elerates som  1/2.  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X X 1/2. O X X X O 1/2. 1/2. X X O			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing Slow growing Slow growing Good home garden variety More vigorous and higher yeilding than Frantoio Tolerant of wind, frost, drought & wetter ground.
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Imain Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Leccino' Olea 'Verdale' Syagrus romanzoffiana Thuya occidentalis 'Pyramidalis'  Acer griseum	Central Business  Native Trees endemic Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive Olive Queen Palm Eastern Arborvitae  Paperbark Maple	District  to Nelson  Medium  Large  Small  Medium  Medium  Medium  Large  Large  Medium  Large  Large  Medium  Small to medium  Medium  Large  Medium  Large  Medium  Large  Medium  Small to medium  Medium  Large  Medium  Large  Medium  Medium  Large  Medium  Small to medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage Foliage and Flowers Foliage Foliage Foliage Fruits Fruits Fruits Fruits Fruits Fruits Fruits Foliage Foliage Foliage Foliage Foliage Foliage Foliage Fruits Fruits Fruits Fruits Fruits Foliage Foliage Foliage	Rounded Upright Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Rounded Upright Upright Rounded Upright Rounded Upright Upright Pyramidal Upright Rounded Rounded Upright Upright Upright	O O X X X 1/2. 1/2. O 1/2. O	X	Pla  Dry  fers or tole efers or tole efers or tole ferant of  X  O  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Sun erates elerates som  1/2.  1/2.  X  X  X  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X 1/2. O X X X X O 1/2. 1/2. X X X X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous  Slow growing Slow growing Slow growing Slow growing Good home garden variety More vigorous and higher yeliding than Frantoio Tolerant of wind, frost, drought & wetter ground. Specimens less than 2.2m tall are susceptible to frost
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Wain Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Verdale' Syagrus romanzoffiana Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Corylus corluna	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive Olive Olive Queen Palm Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Turkish Filbert	Medium Large Medium Medium Medium Medium Medium Large Large Medium Large Large Medium Small to medium Medium Large Medium Large Medium Small to medium Medium Large Medium Small to medium Medium Large Medium Medium Large Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage Fruits Fruits Fruits Fruits Fruits Fruits Fruits Foliage	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Upright Rounded Upright Upright Rounded Upright Rounded Rounded Rounded Rounded Rounded Upright Upright	O O O X X X 1/2. 1/2. O 1/2. O	X	Pla  Dry  Fers or tole efers or tole efers or tole efers or tole   X	Sun erates elerates som  1/2.  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Shade    X	1/2. 1/2. X X X X X X X X X X X X X X X X X X X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X  X  X  X  X  X  X  X  X  X  X  X  X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing Slow growing Slow growing More wigorous and higher yeliding than Frantoio Tolerant of wind, frost, drought & wetter ground. Specimens less than 2.2m tall are susceptible to frost
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Verdale' Syagrus romanzoffiana Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze'	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive Olive Olive Queen Palm Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Turkish Filbert Upright Gingko	Medium Large Medium Medium Medium Medium Large Large Medium Small to medium Medium Large Medium Large Medium Small to medium Medium Large Medium Small to medium Medium Large Medium Small to medium Medium Small to medium Medium Large Medium Small to medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage Foliage Foliage Fruits Fruits Fruits Fruits Fruits Fruits Fruits Fruits Fruits Foliage	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Upright Rounded Upright Upright Rounded Upright Rounded Rounded Rounded Upright Upright	O O X X X 1/2. 1/2. O 1/2. O	X	Pla  Dry  fers or tole efers or tole efers or tole efers or tole   X	Sun erates elerates som  1/2.  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Shade  X X 1/2. 1/2. 0 X 1/2. 1/2. 1/2. 1/2. 1/2. X	1/2. 1/2. X X X X X X X X X X X X X X X X X X X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Frost tender in early years  Deciduous  Slow growing Slow growing Slow growing Slow growing Slow growing More wigorous and higher yeliding than Frantoic Tolerant of wind, frost, drought & wetter ground. Specimens less than 2.2m tall are susceptible to frost
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Frantoio' Olea 'Verdale' Syagrus romanzoffiana Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Corylus corluna Ginkgo biloba 'fastigiata' Male tree only Lagerstromia indica 'Kimono' Lagerstromia indica 'Kimono' Lagerstromia indica 'Soir D'ete'	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive Olive Olive Queen Palm Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Turkish Filbert Upright Gingko Crypemyrtle Crypemyrtle	Medium Large Medium Medium Medium Large Large Medium Medium Large Large Medium Small to medium Medium Large Medium Small to medium Medium Small to Medium Small to Medium Small Medium Small Medium Small Medium Medium Small Small Small	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage and Flowers Foliage and Flowers Foliage Foliage and Flowers Foliage Foliage and Flowers Foliage Fruits Fruits Fruits Fruits Fruits Fruits Fruits Fruits Fruits Froliage Foliage Fo	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Upright Rounded Upright Rounded	O O X X X 1/2. 1/2. O 1/2. O	X	Pla  Dry  fers or tole efers or tole efers or tole efers or tole 1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Sun	Shade    X	1/2. 1/2. X X X X X X X X X X 1/2. O X X X X X X X X X X X X X X X X X X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing Slow growing Slow growing, frost tender  Good home garden variety More vigorous and higher yeliding than Frantoio Tolerant of wind, frost, drought & wetter ground. Specimens less than 2.2m tall are susceptible to frost  Drought tolerant when established 1-2 years  Very frost hardy
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Verdale' Syagrus romanzoffiana Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Corylus corluna Ginkgo biloba 'fastigiata' Male tree only Lagerstromia indica 'Kimono' Lagerstromia indica 'Tango' Liquidamber styraciflua 'Lane Roberts'	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Australian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive Olive Olive Queen Palm Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Turkish Filbert Upright Gingko Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Liquidamber	Medium Large Small Medium Medium Medium Medium Medium Medium  Large Large Small Medium Medium  Medium  Small to medium Medium Large Medium Large Medium Small to medium Medium  Medium Small to medium Medium  Medium Small to medium Medium  Medium  Medium  Medium  Medium  Medium  Medium  Medium  Medium  Medium  Small  Small  Small  Small  Small  Small  Small  Large	Foliage Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage Foliage and Flowers Foliage Fruits Fruits Fruits Fruits Fruits Fruits Froilage Foliage and Autumn colourings Bark, Flowers and Autumn colourings Bark, Flowers and Autumn colourings Foliage and Autumn colourings	Rounded Upright Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Rounded Rounded Pyramidal Upright Rounded Rounded Rounded	O O X X X 1/2. 1/2. O 1/2. O	X	Pla  Dry  fers or tole efers or tole efers or tole efers or tole   X	Sun	Shade    X	1/2. 1/2. 1/2. X X X X X X X X X X X X X X X X X X X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous  Slow growing Slow growing Slow growing Slow growing Slow growing Solow growing Total forthis growing Total forthis growing than Frantoio Total for growing than Frantoio Total forthis growing than Frantoio Total f
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus ferruginea Preseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Frantoio' Olea 'Verdale' Syagrus romanzoffiana Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Corylus corluna Ginkgo biloba 'fastigiata' Male tree only Lagerstromia indica 'Kimono' Lagerstromia indica 'Tango' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Palo Alto' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Palo Alto' Liquidamber styraciflua 'Palo Alto' Liquidamber styraciflua 'Worplesdon'	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive Olive Olive Queen Palm Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Turkish Filbert Upright Gingko Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Liquidamber Liquidamber Liquidamber	Medium Large Small Medium Medium Medium Medium Medium Medium Large Large Small Medium Medium Medium Small to medium Medium Large Medium Medium Large Medium Medium Medium Large Medium Medium Large Medium Medium Large Medium Large Medium Medium Large Medium Large Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Fruits Fruits Fruits Fruits Fruits Fruits Froiage Foliage and Autumn colourings Foliage Foliage and Autumn colourings	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Upright Rounded Upright Rounded Rounded Rounded Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded	O O X X X 1/2. 1/2. O 1/2. O	X	Pla  Dry  Fers or tole efers or tole efers or tole efers or tole   X	Sun	Shade    X	1/2.   1/2.   X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing Slow growing Slow growing, frost tender  Good home garden variety More vigorous and higher yeliding than Frantoio Tolerant of wind, frost, drought 8 wetter ground. Specimens less than 2.2m tail are susceptible to frost  Drought tolerant when established 1-2 years  Very frost hardy
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Idain Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Leccino' Olea 'Verdale' Syagrus romanzoffiana Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Corylus corluna Ginkgo biloba 'fastigiata' Male tree only Lagerstromia indica 'Kimono' Lagerstromia indica 'Tango' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Palo Alto' Liquidamber styraciflua 'Worplesdon' Liriodendron tulipifera fastigiata	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive Olive Olive Olive Queen Palm Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Turkish Filbert Upright Gingko Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Liquidamber	Medium Large Small Medium Medium Medium Medium Medium Medium Large Large Medium Small to medium Medium Medium Large Medium Small to medium Medium Large Medium Small to medium Medium Large Medium Large Medium Medium Large Medium Medium Large Medium Medium Large Medium Large Medium Medium Large Medium Medium Large Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage and Flowers Foliage Fruits Fruits Fruits Fruits Fruits Fruits Friage Foliage and Autumn colourings Bark, Flowers and Autumn colourings Bark, Flowers and Autumn colourings Foliage and Autumn colourings	Rounded Upright Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Upright Rounded Upright Rounded Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Pyramidal Upright Upright	O O X X X 1/2. 1/2. O 1/2. O	X	Pla  Dry  fers or tole efers or tole efers or tole efers or tole 1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Sun	Shade    X	1/2. 1/2. 1/2. X X X X X X X X X X X X X X X X X X X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing S
Alectryon excelsus Beilschmiedia tawa Dacrycarpus dacrydioides Dacrydium cupressinum Hoheria angustifolia Plagianthus regius Podocarpus totara Prumnopitus ferruginea Prumnopitus ferruginea Preseudopanax crassifolius ( Plant in groups) Rhopalostylis sapida ( Plant in groups) Sophora microphylla  Cupressus sempervirens stricta Corymbia ficifolia Hymenosporum flavum Livistona australis Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Podocarpus macrophyllus Olea 'Frantoio' Olea 'Frantoio' Olea 'Verdale' Syagrus romanzoffiana Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Corylus corluna Ginkgo biloba 'fastigiata' Male tree only Lagerstromia indica 'Kimono' Lagerstromia indica 'Tango' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Palo Alto' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Palo Alto' Liquidamber styraciflua 'Palo Alto' Liquidamber styraciflua 'Worplesdon'	Central Business  Native Trees endemic  Titoki Tawa Kahikatea Rimu Narrow leafed lacebark Lowland ribbonwood Totara Miro Matai Lancewood Nikau Kowhai  Evergreen  Upright cypress Flowering Gum Austrailian frangipani Australian fan palm Michelia Southern Magnolia Southern Magnolia Yew Pine Olive Olive Olive Olive Queen Palm Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Turkish Filbert Upright Gingko Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Crypemyrtle Liquidamber Liquidamber Liquidamber	Medium Large Small Medium Medium Medium Medium Medium Medium Large Large Small Medium Medium Medium Small to medium Medium Large Medium Medium Large Medium Medium Medium Large Medium Medium Large Medium Medium Large Medium Large Medium Medium Large Medium Large Medium	Foliage Foliage Bark, Foliage Bark, Foliage Foliage, Flowers Foliage, Flowers Bark, Foliage Foliage, Flowers, Fruits Foliage, Flowers, Fruits Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Fruits Fruits Fruits Fruits Fruits Fruits Froiage Foliage and Autumn colourings Foliage Foliage and Autumn colourings	Rounded Upright Upright Upright Upright Upright Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Rounded Upright Upright Rounded Upright Rounded Rounded Rounded Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded	O O X X X 1/2. 1/2. O 1/2. O	X	Pla  Dry  fers or tole efers or tole efers or tole efers or tole 1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Sun	Shade    X	1/2.   1/2.   X			2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	dth  Above 4  X X X X X X X X X X X X X X X X X X	Frost tender in early years Frost tender in early years Frost tender in early years  Deciduous Slow growing Slow growing Slow growing Slow growing, frost tender  Good home garden variety More vigorous and higher yeilding than Frantoio Tolerant of wind, frost, drought & wetter ground. Specimens less than 2.2m tall are susceptible to frost  Drought tolerant when established 1-2 years  Very frost hardy Very frost hardy Very frost hardy

								Pla	nt Prefer	ences			В	erm Wic	dth	
	Botanical Name	Common Name	Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost	Plant in Groups	1.5 to 2m	2m to 4m	Above 4m	Comments
		Low Flatian	de			<u>}</u>		ers or tole	erates erates some			Groups				
		lative Trees endemic				<u> </u>	O = intol		erates some	•						
	Alectryon excelsus	Titoki	Medium	Foliage	Rounded	0	Х	Х	0	Х			Х	Х	Х	Frost tender in early years
	Beilschmiedia tawa Cordyline australis ( Plant in groups)	Tawa Cabbage tree	Large Medium	Foliage Foliage, Flowers	Upright Upright	O X	X	O X	O X	X 0		Х	Х	X	X	
	Dacrycarpus dacrydioides  Dacrydium cupressinum	Kahikatea Rimu	Large Large	Bark, Foliage Bark, Foliage	Upright Upright	X	X	0 1/2.	1/2. 1/2.	1/2. 1/2.				X	X	
	Hoheria angustifolia Nothofagus menziesii	Narrow leafed lacebark Silver beech	Medium Large	Foliage, Flowers Foliage	Upright Rounded	1/2. X	X	X	1/2.	0 1/2.			Х	X	X	
	Nothofagus solandri var.solandri Phyllocladus trichomanoides	Black Beech Tanekaha	Large Large	Foliage, Flowers Bark, Foliage	Rounded Pyramidal	0	X	X	X	1/2. 1/2.				X	X	Honeydew potential would dictate use next to parking areas
	Plagianthus regius Podocarpus totara	Lowland ribbonwood Totara	Medium Large	Foliage, Flowers Bark, Foliage	Upright Rounded	1/2. O	X	X	X	X 1/2.			Х	X	Х	Deciduous
	Prumnopitus ferruginea Prumnopitus taxifolia	Miro Matai	Large Large	Bark, Foliage Bark, Foliage	Rounded Rounded	1/2. O	X	O X	1/2. X	1/2. 1/2.				X	X	Slow growing Slow growing
	Pseudopanax crassifolius (Group Plantings) Sophora microphylla	Lancewood Kowhai	Small Medium	Bark, Foliage Foliage, Flowers, Fruits	Upright Rounded	0	X 1/2.	X	X	X 1/2.		Х	Х	X	X	
	оорнога ппогорнуна	Evergreen		i oliugo, i lowolo, i lutto	irtouridod		1/2.			1/2.		<u> </u>			<u> </u>	
	Cupressus sempervirens stricta Michelia doltsopia	Upright cypress Michelia	Medium Medium	Foliage Foliage and Flowers	Upright Pyramidal		X	X	X		1/2.		Х	X	X	
nds	Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street'	Southern Magnolia Southern Magnolia		Foliage and Flowers Foliage and Flowers	Upright Upright		X		X	X	X		Х	X		
atlaı	Metrosideros umbellata Olea 'Frantoio'	Southern Rata Olive	Large Medium	Foliage and Flowers	Rounded Rounded		1/2.	X	X	1/2.	X			X	X	Requires cool root run Good home garden variety
Ë >	Olea 'Leccino' Olea 'Verdale'	Olive Olive	Medium Medium	Fruits Fruits	Rounded		X	X	X		X			X		More vigorous and higher yeilding than Frantoio  Tolerant of wind, frost, drought & wetter ground.
Ľ	Thuya occidentalis 'Pyramidalis'		Medium	Fruits Foliage	Rounded Upright		X	1/2.	X		X		Х	X		Tolerant of wind, frost, drought & wetter ground.
	Ager gricoum	Deciduous		Dork and Automa and a second	ID								V			
	Acer griseum Acer freemanii 'Autumn Blaze'	Paperbark Maple Autumn Blaze Maple	Small Medium	Bark and Autumn colourings Foliage and Autumn colourings	Rounded Pyramidal	1/2.	X	1/2.	X		X		X	Х	Х	
	Acer rubrum 'Bowhall' Acer rubrum 'Columnaire'	Bowhall Maple Column Maple	Medium Medium	Foliage and Autumn colourings Foliage and Autumn colourings	Upright Upright	1/2. 1/2.	X	1/2.	X		X		X			
	Acer saccharum Carpinus japonica	Sugar Maple Japanese Hornbeam	Medium Small	Foliage and Autumn colourings Foliage and Flowers	Rounded Pyramidal	1/2.	X	1/2. 1/2.	X	1/2. 1/2.	X		Х	X	Х	
	Corylus corluna Fraxinus pensylvanica	Turkish Filbert Green Ash	Medium	Foliage Foliage and Autumn colourings	Pyramidal Rounded		X	X	X		X			X	X	Drought tolerant when established 1-2 years
	Ginkgo biloba 'fastigiata' Gleditsia triacanthos 'Skyline'	Upright Gingko Locust	Medium Large	Foliage and Autumn colourings Foliage and Autumn colourings	Upright Umbrella		X	X	X	1/2.	X		Х	X	X	
	Liquidamber styraciflua 'Franks Gold' Liquidamber styraciflua 'Lane Roberts'	Liquidamber Liquidamber	Large Large	Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Pyramidal		X	1/2. 1/2.	X		X			X	X	Yellow branches when dormant
	Liquidamber styraciflua 'Palo Alto' Liriodendron tulipifera	Liquidamber Tuliptree	Large	Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Rounded		X	1/2. 1/2.	X	1/2.	X			X	X	
	Liriodendron tulipifera fastigiata	Upright Tuliptree	Large Medium	Foliage and Autumn colourings	Upright		X	1/2.	X	1/2.	X		Х	X		Selections currently used are 'Milky Way', 'Star Wars', 'Susan', 'Vulcan'. All need good soils and room to develop roots. Roots are easily damaged to
	Magnolia cultivars. New selections ongoing based upon flower colours.  Melia azedarach	Magnolias China berry	Medium Medium	Foliage and Flowers Foliage and Flowers	Rounded Rounded		X	X	X	1/2.	X			X	X	the detriment of the tree.  A fast grower and will lift footpaths. Needs room to grow.
	Nyssa sylvatica Parrotia persica	Tupelo Persian Parrotia	Medium Small	Foliage and Autumn colourings  Bark, Foliage and Autumn colourings	Pyramidal Pyramidal		X	1/2.	X	1/2.	X			X	X	Stunning autumn colour, for residential areas with good soils.  Drought tolerant when established.
	Pistacia chinensis Quercus coccinea	Chinese pistache Scarlet Oak	Medium	Foliage and Autumn colourings  Foliage and Autumn colourings  Foliage and Autumn colourings	Rounded Rounded		X	1/2. X	X	1/2	X			X	X	Stunning autumn colour, for residential areas with good soils.  Stongly grown feathered trees will perform the best in the landscape
	Quercus palustris Tilia cordata	Pin Oak Small Leaved Linden	Large Large Large	Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings	Pyramidal Rounded		X	1/2. X 1/2.	X	1/2.	X				X	Stongly grown feathered trees will perform the best in the landscape  Stongly grown feathered trees will perform the best in the landscape
	Ulmus carpinifolia x parvifolia 'Frontier'	Frontier Elm	Medium	Foliage and Autumn colourings	Pyramidal		X	1/2. X	X		X			Х	X	Bred in USA for Urban conditions.
			II orgo	Foliogo and Autumn colourings	Lipriabt		V	4/0								
	Ulmus hollandica 'Lobel' Zelkova serrata	Lobel Elm Japanese zelkova	Large Medium	Foliage and Autumn colourings Bark, Foliage and Autumn colourings	Upright Umbrella		X	1/2. X	X		X			X	X	Dutch Elm resistant. Drought resistant once established
			Medium		Upright Umbrella		X	Х	Х	ences	Х		В	X	X	Dutch Elm resistant.
				Bark, Foliage and Autumn colourings	Upright Umbrella  Shape	Wet	X X	Pla	x x nt Prefere		X	Plant in		x erm Wic	x x	Dutch Elm resistant. Drought resistant once established  Comments
	Zelkova serrata	Japanese zelkova		Bark, Foliage and Autumn colourings	Umbrella	Wet	X X Moist	Pla	X X nt Prefero	ences	X	Plant in Groups		x erm Wic	X	Dutch Elm resistant. Drought resistant once established  Comments
	Zelkova serrata	Japanese zelkova	Tree size	Bark, Foliage and Autumn colourings	Umbrella	Wet	X = Pref 1/2 = Pre	Pla Dry ers or tole efers or tol	X X nt Prefero	Shade	X			x erm Wic	x x	Dutch Elm resistant. Drought resistant once established  Comments
	Botanical Name	Japanese zelkova  Common Name	Tree size	Bark, Foliage and Autumn colourings	Umbrella	Wet	X = Pref	Pla Dry ers or tole efers or tol	X X X X Sun Sun	Shade	X			x erm Wic	x x	Dutch Elm resistant. Drought resistant once established  Comments
	Botanical Name  Name	Japanese zelkova  Common Name  Lowland H  lative Trees endemic	Tree size	Visual Interest  Foliage	Shape	Wet KE	X = Pref 1/2 = Pre	Pla Dry ers or tole efers or tol	X X X X Sun Sun	Shade	X			x erm Wic	X X dth Above 4m	Dutch Elm resistant. Drought resistant once established  Comments
	Botanical Name  Na	Lowland H lative Trees endemic Titoki Tawa Cabbage tree	Tree size  III  to Nelson  Medium  Large Medium	Visual Interest  Foliage Foliage Foliage Foliage Foliage Foliage, Flowers	Shape  Rounded Upright Upright	Wet	X = Pref 1/2 = Pre O = intol	Dry ers or tole erant of	Sun erates erates some	Shade  X X O	X		1.5 to 2m	2m to 4m	X X X Above 4m	Dutch Elm resistant. Drought resistant once established  Comments
	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata	Japanese zelkova  Common Name  Lowland H  lative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Large  Large  Large	Foliage	Rounded Upright Upright Upright Rounded	Wet	X = Pref 1/2 = Pre O = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.	Sun  Prefer  Sun  Prates  Prates  Prates  Prates  Prates  Prates  Prates  O  O  X  1/2.  O	X   X   X   O   1/2.   X	X	Groups	1.5 to 2m	2m to 4m	X X Above 4m	Dutch Elm resistant. Drought resistant once established  Comments
	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii	Japanese zelkova  Common Name  Lowland H  Jative Trees endemic  Titoki  Tawa  Cabbage tree  Rimu  White maire  Red Beech  Silver beech	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Large  Large  Large  Large  Large  Large	Foliage	Rounded Upright Upright Upright Pyramidal Rounded Rounded	Wet  □ 0  □ 0  X  X  X  1/2.  □ 0  X	X = Pref 1/2 = Pre O = intol	Dry ers or tole efers or tole erant of  X 0 X 1/2.	Sun Prefero Sun Prates Perates some  O X 1/2. O 1/2. 1/2.	X X X O 1/2. X 1/2. 1/2.	X	Groups	1.5 to 2m	2m to 4m	X X X Above 4m	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years
	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides	Common Name  Lowland H  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha	Tree size  III  C to Nelson  Medium  Large  Medium  Large	Foliage Bark, Foliage Foliage Foliage Bark, Foliage	Rounded Upright Upright Upright Rounded Pyramidal Rounded Rounded Pyramidal	Wet	X = Pref 1/2 = Pre O = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.	Sun Prefer Sun Prates Perates some 1/2. 0 1/2. 1/2. X X	X X X O 1/2. X 1/2. 1/2. 1/2.	X	Groups	1.5 to 2m	2m to 4m	X X X Above 4m	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas
	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii	Japanese zelkova  Common Name  Lowland H  Jative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara	Tree size  III  C to Nelson  Medium  Large  Medium  Large	Foliage Bark, Foliage Foliage Bark, Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage, Flowers Bark, Foliage Foliage, Flowers Bark, Foliage Foliage, Flowers Bark, Foliage Foliage, Flowers	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded	Wet  O O X X X 1/2. O X O 1/2. O	X = Pref 1/2 = Pre 0 = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.  O  X  X  X  X  X	Sun Prefer Sun Prates Perates some 1/2. 0 1/2. 1/2. X X X X	X X X O 1/2. X 1/2. 1/2. 1/2. 1/2. X	X	Groups	1.5 to 2m	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous
	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia	Common Name  Lowland H  Lowland H  Lative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai	Tree size  III  C to Nelson  Medium  Large  Medium  Large	Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Pyramidal Upright Rounded Rounded Rounded Rounded	Wet  O O X X X 1/2. O X O 1/2.	X = Pref 1/2 = Pref O = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.	X   X   X     X	X X X O 1/2. X 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	X	X	1.5 to 2m	2m to 4m  X  Zm to 4m  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas
ıtry	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea	Common Name  Lowland H  Lowland Red Beech  Silver beech  Black Beech  Tanekaha  Lowland ribbonwood  Thin barked totara  Miro	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Small	Foliage Bark, Foliage Bark, Foliage Bark, Foliage	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Pyramidal Upright Rounded Rounded	Wet  O O X X X 1/2. O X O 1/2. O 1/2.	X = Pref 1/2 = Pre 0 = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.  O  X  X  X  X  X	Sun Prefero Sun Prates Perates some  O X 1/2. O 1/2. X X X X X X 1/2.	X X X O 1/2. X 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	X	Groups	1.5 to 2m	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing
ountry	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Small  Medium	Foliage Foliage Foliage Foliage, Flowers Bark, Foliage Foliage Bark, Foliage Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Upright Rounded Upright Rounded Upright Upright Upright Upright Upright Upright	Wet  O O X X X 1/2. O X O 1/2. O 1/2.	X = Pref 1/2 = Pre O = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.  O  X  X  X  X  X	Sun Prefer Sun Prates P	X X X O 1/2. X 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	Frost	X	1.5 to 2m	2m to 4m  X  2m to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing
ill Country	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem'	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Large  Large  Large  Large  Large  Large  Large  Large  Small  Medium  Medium  Medium  Small to medium	Foliage Foliage Foliage Foliage Foliage, Flowers Bark, Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Upright Upright Rounded Upright Rounded Upright Rounded Upright Upright	Wet  O O X X X 1/2. O X O 1/2. O 1/2.	X = Pref 1/2 = Pref O = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.  O  X  X  X  X  X	Sun Prefer Sun Prates Perates some 1/2. 0 1/2. 1/2. X X X X X X X X X X X X X X X X	X X X O 1/2. X 1/2. 1/2. 1/2. X 1/2. X 1/2. X	X X X X X X X X X X X X X X X X X X X	X	1.5 to 2m  X X X	Zm to 4m  X  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing
d Hill Country	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Metrosideros umbellata	Common Name  Lowland H  Lowland H  Lowland H  Lowland H  Lowland Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Rata	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Large  Large  Large  Large  Large  Large  Large  Small  Medium  Medium  Medium  Medium  Medium  Medium  Large	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Upright Rounded Upright Rounded Upright Rounded Rounded Rounded Rounded Rounded Upright Rounded Upright Pyramidal Upright Pyramidal Upright Rounded	Wet  O O X X X 1/2. O X O 1/2. O 1/2.	X = Pref 1/2 = Pref 0 = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.  O  X  X  X  X  X	Sun Prefer Sun Prates Perates some 1/2. 0 1/2. 1/2. 1/2. X X X X X X X X X X X X X X X X X X X	X X X O 1/2. X 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	X X X X X X X X X	X	1.5 to 2m  X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing
vland Hill Country	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio'	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Rata Willow leaf podocarp Olive	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Large  Large  Large  Large  Large  Large  Large  Small  Medium	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage and Flowers Foliage and Flowers Foliage Foliage Fruits	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Rounded Rounded Rounded Rounded Pyramidal Upright Pyramidal Upright Pyramidal Upright Rounded Pyramidal Rounded	Wet  O O X X X 1/2. O X O 1/2. O 1/2.	X = Pref 1/2 = Pref 0 = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.  O  X  X  X  X  X	Sun Prefer Sun Prates Perates some    O	X X X O 1/2. X/2. 1/2. 1/2. 1/2. X 1/2. X 1/2. X X X X X X X	X X X Frost  X 1/2. X X X O	X	1.5 to 2m  X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing Slow growing Slow growing Good home garden variety
Lowland Hill Country	Botanical Name  Nalectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus fusca Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Leccino' Olea 'Verdale'	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive	Tree size  III  I to Nelson  Medium  Large  Medium  Large  Medium	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded	Wet  O O X X X 1/2. O X O 1/2. O 1/2.	X = Pref 1/2 = Pref 0 = intol	Plai  Dry  ers or tole efers or tole erant of  X  O  X  1/2.  1/2.  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	X   X   X	X X X O 1/2. X/2. 1/2. 1/2. 1/2. X 1/2. X 1/2. X X X X X X X	X X X Frost  X 1/2. X X X X X X X X X	X	X X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Duch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing Slow growing Slow growing Requires cool root run
Lowland Hill Country	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Leccino'	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Eastern Arborvitae	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Medium	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage and Flowers Foliage	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Rounded Upright Rounded Rounded Rounded Upright Pyramidal Upright Pyramidal Upright Pyramidal Rounded Rounded Rounded Rounded Rounded Rounded	Wet  O O X X X 1/2. O X O 1/2. O 1/2.	X = Pref 1/2 = Pref 0 = intol	Dry  ers or tole erant of  X  O  X  1/2.  1/2.  O  X  X  X  X  X	Sun Prefer Sun Prates Perates some 1/2. 0 1/2. 1/2. 1/2. X X X X X X X X X X X X X X X X X X X	X X X O 1/2. X/2. 1/2. 1/2. 1/2. X 1/2. X 1/2. X X X X X X X	X X X Frost  X 1/2. X X X X X X X	X	1.5 to 2m  X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas Deciduous Slow growing Slow growing Slow growing Requires cool root run Good home garden variety More vigorous and higher yeilding than Frantoio
Lowland Hill Country	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Verdale' Thuya occidentalis 'Pyramidalis'	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Colive Colive Colive Colive Colive Coleve	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Small	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Foliage Fruits Fruits Fruits Fruits Fruits Fruits Foliage	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Upright Upright Pyramidal Upright Pyramidal Upright Upright Rounded Rounded Rounded Pyramidal Upright Rounded	Wet  O O O X X X 1/2. O O 1/2. O 1/2. O	X = Pref 1/2 = Pre 0 = intol	X   Plai	X   X   X	X X X O 1/2. X 1/2. 1/2. 1/2. 1/2. X 1/2. X 1/2. X 1/2. X 1/2. X 1/2. X X X X X X X X X X X X X	X X X Frost  X 1/2. X X X X X X X	X	X X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing Slow growing Slow growing  Requires cool root run  Good home garden variety More vigorous and higher yeilding than Frantoio
Lowland Hill Country	Botanical Name  Nalectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus ferruginea Prumnopitus fersifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Verdale' Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Acer rubrum 'Bowhall'	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Bowhall Maple	Tree size  III  I to Nelson  Medium  Large  Medium  Large  Small  Medium  Medium  Large  Large  Small  Medium  Medium  Small to medium  Medium  Medium  Medium  Medium  Small to medium	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Foliage Fruits Fruits Fruits Fruits Fruits Foliage  Bark and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Upright Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Upright Upright Pyramidal Upright Upright Upright Upright Upright Rounded Upright Upright Upright Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Rounded Pyramidal Upright	Wet  O O X X X 1/2. O X O 1/2. O 1/2.	X = Pref 1/2 = Pre 0 = intol	Plai  Dry  ers or tole efers or tole erant of  X  O  X  1/2.  1/2.  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	Sun  Prefer  Sun  O O X 1/2. O 1/2. 1/2. X X X X X X X X X X X X X X X X X X X	X X X O 1/2. X 1/2. 1/2. 1/2. 1/2. X 1/2. X 1/2. X 1/2. X 1/2. X 1/2. X X X X X X X X X X X X X	X X X Frost  X 1/2. X X X X X X X X	X	1.5 to 2m  X X X X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas Deciduous Slow growing Slow growing Slow growing Requires cool root run Good home garden variety More vigorous and higher yeilding than Frantoio
Lowland Hill Country	Botanical Name  Nalectryon excelsus Beilschmiedia tawa Cordyline australis (Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Ireccino' Olea 'Teccino' Olea 'Verdale' Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze'	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Bowhall Maple Column Maple	Tree size  III  I to Nelson  Medium  Large  Medium  Large  Small  Medium	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Foliage Foliage Foliage Foliage Foliage Foliage, Flowers Bark, Foliage Foliage, Flowers Bark, Foliage Foliage, Flowers Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage and Flowers Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Upright Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Rounded Upright Pyramidal Upright Pyramidal Upright Pyramidal Upright Pyramidal Upright Rounded Pyramidal Rounded Pyramidal Rounded Rounded Rounded Rounded Rounded Rounded Rounded Rounded Rounded	Wet  O O X X X 1/2. O O 1/2. O 1/2. O 1/2. O	X = Pref 1/2 = Pref 0 = intol	X   Plai	X   X   X	X X X O 1/2. X 1/2. 1/2. 1/2. 1/2. X 1/2. X 1/2. X 1/2. X 1/2. X 1/2. X X X X X X X X X X X X X	Trost  X X X X X X X X X X X X X X X X X X	X	1.5 to 2m  X X X X X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Elm resistant. Drought resistant once established  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas Deciduous Slow growing Slow growing Slow growing Requires cool root run Good home garden variety More vigorous and higher yeilding than Frantoio
Lowland Hill Country	Botanical Name  N Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Verdale' Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Acer rubrum 'Bowhall' Acer rubrum 'Columnaire'	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Bowhall Maple	Tree size  III  I to Nelson  Medium  Large  Medium  Large  Large  Large  Large  Large  Large  Large  Large  Medium  Large  Large  Large  Large  Large  Large  Large  Large  Small  Medium	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Rounded Upright Upright Pyramidal Upright Upright Upright Upright Upright Rounded Pyramidal Upright Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Rounded Pyramidal Upright Upright Upright Upright Upright	Wet  O O O X X X 1/2. O O 1/2. O 1/2. O 1/2. 1/2. 1/2. 1/2.	X = Pref 1/2 = Pref 0 = intol	X   Plai	X   X   X	X X X O 1/2. X/2. 1/2. 1/2. 1/2. X 1/2. X 1/2. X 1/2. 1/2. X 1/2. X X X X X X X X X X X X X X X X X X X	X X X Frost  X 1/2. X X X X X X X X X X X X X X	X	1.5 to 2m  X X X X X X X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Eim resistant once established  Comments  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing Slow growing Slow growing Requires cool root run  Good home garden variety More vigorous and higher yeilding than Frantoio Tolerant of wind, frost, drought & wetter ground.
Lowland Hill Country	Botanical Name  Rectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Leccino' Olea 'Verdale' Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Acer rubrum 'Bowhall' Acer rubrum 'Bowhall' Acer rubrum 'Golumnaire' Acer saccharum Carpinus japonica	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Bowhall Maple Column Maple Sugar Maple Japanese Hornbeam	Tree size  III  I to Nelson  Medium  Large  Medium  Large  Small  Medium	Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Fruits Fruits Fruits Fruits Fruits Froiage Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage	Rounded Upright Upright Upright Upright Rounded Pyramidal Rounded Upright Pyramidal Upright Pyramidal Upright Upright Pyramidal Upright Rounded Pyramidal Upright Rounded Pyramidal Rounded Rounded Pyramidal Rounded Rounded Rounded Rounded Rounded Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Pyramidal Upright Upright Rounded	Wet  O O O X X X 1/2. O O 1/2. O 1/2. O 1/2. 1/2. 1/2. 1/2.	X = Pref 1/2 = Pref 0 = intol	X   Plai	X   X   X	X X X 0 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	Frost  X X X X X X X X X X X X X X X X X X	X	1.5 to 2m  X X X X X X X X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Elim resistant.  Drought resistant once established  Comments  Frost tender in early years  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing Slow growing  Requires cool root run  Good home garden variety More vigorous and higher yeilding than Frantoio Tolerant of wind, frost, drought & wetter ground.
Lowland Hill Country	Botanical Name  Botanical Name  Alectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Main Street' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Lercino' Acer griseum Acer griseum Acer griseum Acer rubrum 'Columnaire' Acer rubrum 'Columnaire' Acer saccharum Carpinus japonica Cercis reniformis 'Oklahoma' Corylus corluna Gleditsia triacanthos 'Skyline' Liquidamber styraciflua 'Lane Roberts'	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Colive Colive Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Bowhall Maple Column Maple Sugar Maple Japanese Hornbeam Redbud Turkish Filbert Locust Liquidamber	Tree size  III  I to Nelson  Medium  Large  Medium  Large  Small  Medium  Large  Large	Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage Foliage Foliage Foliage Foliage Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Foliage Fruits Fruits Fruits Fruits Fruits Foliage Foliage Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Upright Upright Pyramidal Upright Upright Upright Upright Upright Pyramidal Upright Upright Upright Upright Upright Rounded Pyramidal Upright Upright Rounded Pyramidal Upright Upright Upright Rounded Pyramidal Upright Rounded Pyramidal Upright Upright Rounded Pyramidal Upright Rounded	Wet  O O O X X X 1/2. O O 1/2. O 1/2. O 1/2. 1/2. 1/2. 1/2.	X = Pref 1/2 = Pref 0 = intol	X   Plai	X   X   X	X X X 0 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	Trost  X X X X X X X X X X X X X X X X X X	X	1.5 to 2m  X X X X X X X X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Eim resistant once established  Comments  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing Slow growing Slow growing Requires cool root run  Good home garden variety More vigorous and higher yeilding than Frantoio Tolerant of wind, frost, drought & wetter ground.
Lowland Hill Country	Botanical Name  Rectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus ferruginea Prumnopitus staxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Little Gem' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Leccino' Olea 'Verdale' Thuya occidentalis 'Pyramidalis'  Acer griseum Acer rubrum 'Bowhall' Acer rubrum 'Columnaire' Acer saccharum Carpinus japonica Cercis reniformis 'Oklahoma' Corylus corluna Gleditsia triacanthos 'Skyline' Liquidamber styraciflua 'Lane Roberts'	Common Name  Lowland H  Jative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Magnolia Southern Magnolia Southern Arborvitae  Deciduous  Paperbark Maple Autumn Blaze Maple Bowhall Maple Column Maple Sugar Maple Japanese Hornbeam Redbud Turkish Filbert Locust Liquidamber Tuliptree	Tree size  III  I to Nelson  Medium  Large  Medium  Large	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Bark, Foliage Bark Foliage Bark Foliage Bark Foliage Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Foliage Fruits Fruits Fruits Fruits Fruits Foliage Foliage Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage and Autumn colourings	Rounded Upright Upright Upright Rounded Pyramidal Rounded Upright Rounded Rounded Upright Upright Upright Upright Upright Upright Upright Upright Upright Rounded Pyramidal Upright Upright Rounded Pyramidal Upright Rounded Rounded Pyramidal Upright Upright Rounded Pyramidal Upright Rounded Pyramidal Umbrella Pyramidal Umbrella Pyramidal Rounded	Wet  O O O X X X 1/2. O O 1/2. O 1/2. O 1/2. 1/2. 1/2. 1/2.	X = Pref 1/2 = Pref 0 = intol	X   Plai	X   X   X	X X X 0 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	Trost  X X X X X X X X X X X X X X X X X X	X	1.5 to 2m  X X X X X X X X X X X	Zm to 4m  Zm to 4m  X  X  X  X  X  X  X  X  X  X  X  X  X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Dutch Eim resistant once established  Comments  Comments  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing Slow growing Slow growing Requires cool root run  Good home garden variety More vigorous and higher yeliding than Frantoio Tolerant of wind, frost, drought & wetter ground.
Lowland Hill Country	Botanical Name  Nalectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus fusca Nothofagus menziesii Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus ferr	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Olive Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Bowhall Maple Column Maple Sugar Maple Japanese Hornbeam Redbud Turkish Filbert Locust Liquidamber Tuliptree Upright Tuliptree Tupelo	Tree size  III  I to Nelson  Medium  Large  Medium  Large  Medium	Foliage Bark, Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Fruits Fruits Fruits Fruits Fruits Foliage Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage and Autumn colourings	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Rounded Rounded Rounded Rounded Upright Rounded Rounded Upright Rounded Pyramidal Upright Pyramidal Umbrella Pyramidal Umbrella Pyramidal Upright Pyramidal	Wet  O O O X X X 1/2. O O 1/2. O 1/2. O 1/2. 1/2. 1/2. 1/2.	X = Pref 1/2 = Pref 0 = intol	X   Plai	X   X   X	X X X 0 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	X X X  Frost   X  1/2.  X  X  X  X  X  X  X  X  X  X  X  X  X	X	1.5 to 2m  X X X X X X X X X X	X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Drought resistant once established  Comments  Frost tender in early years  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous Slow growing Slow growing Slow growing  Requires cool root run  Good home garden variety More vigorous and higher yeliding than Frantoio Tolerant of wind, frost, drought & wetter ground.  Young growth can be frosted.  Drought tolerant when established 1-2 years  Stunning autumn colour, for residential areas with good soils.
Lowland Hill Country	Botanical Name  Rectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus smenziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Little Gem' Metrosideros umbellata Podocarpus salignus Olea 'Frantoio' Olea 'Leccino' Olea 'Leccino' Olea 'Verdale' Thuya occidentalis 'Pyramidalis'  Acer rubrum 'Golumnaire' Acer rubrum 'Golumnaire' Acer saccharum Carpinus japonica Cercis reniformis 'Oklahoma' Corylus corluna Gleditsia triacanthos 'Skyline' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'Palo Alto' Liriodendron tulipifera	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Bowhall Maple Column Maple Sugar Maple Japanese Hornbeam Redbud Turkish Filbert Locust Liquidamber Liquidamber Tuliptree Upright Tuliptree Tupelo Persian Parrotia Chinese pistache	Tree size  III  Ito Nelson  Medium  Large  Medium  Large  Large	Foliage Foliage Foliage Foliage, Flowers Bark, Foliage Foliage, Flowers Bark, Foliage Foliage, Flowers Bark, Foliage Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Autumn colourings Foliage Fruits Fruits Fruits Fruits Froiage Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Autumn colourings Foliage and Flowers Foliage and Autumn colourings Foliage and Flowers Foliage and Autumn colourings	Rounded Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Pyramidal Umbrella Pyramidal Umbrella Pyramidal Rounded Upright Pyramidal Rounded Upright Pyramidal Rounded	Wet  O O O X X X 1/2. O O 1/2. O 1/2. O 1/2. 1/2. 1/2. 1/2.	X = Pref 1/2 = Pref 0 = intol	X   Plai	X	X X X 0 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	X X X Frost  X 1/2. X X X X X X X X X X X X X X X X X X X	X	1.5 to 2m  X X X X X X X X X X X	X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Comments  Comments  Frost tender in early years  Frost tender in early years  Frost tender in early years  Honeydew potential would dictate use next to parking areas Deciduous Slow growing Slow growing Slow growing Slow growing  Requires cool root run  Good home garden variety More vigorous and higher yeliding than Frantoio Tolerant of wind, frost, drought & wetter ground.  Young growth can be frosted.  Orought tolerant when established 1-2 years  Stunning autumn colour, for residential areas with good soils.  Stunning autumn colour, for residential areas with good soils.  Stunning autumn colour, for residential areas with good soils.
Lowland Hill Country	Botanical Name  Rectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus menziesii Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora "Little Gem' Magnolia grandiflora "Little Gem' Metrosideros umbellata Podocarpus salignus Olea "Frantoio" Olea "Leccino" Olea "Leccino" Olea "Verdale" Thuya occidentalis "Pyramidalis'  Acer rubrum "Bowhall" Acer rubrum "Golumnaire' Acer saccharum Carpinus japonica Cercis reniformis "Oklahoma" Corylus corluna Gleditsia triacanthos "Skyline" Liquidamber styraciflua "Lane Roberts' Liquidamber styraciflua "Palo Alto' Liriodendron tulipifera Liriodendron tulipifera fastigiata Nyssa sylvatica Parrotia persica Pistacia chinensis Quercus palustris	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Bowhall Maple Column Maple Sugar Maple Japanese Hornbeam Redbud Turkish Filbert Locust Liquidamber Liquidamber Liquidamber Tuliptree Upright Tuliptree Tupelo Persian Parrotia Chinese pistache Scarlet Oak Pin Oak	Tree size  III  C to Nelson  Medium  Large  Medium  Large  Medium  Large	Foliage Foliage Foliage Foliage Foliage Foliage Foliage Bark, Foliage Bark, Foliage Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Bark, Foliage Foliage Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage Fruits Fruits Fruits Fruits Fruits Foliage Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage and Flowers Foliage and Autumn colourings	Rounded Upright Upright Upright Upright Rounded Pyramidal Rounded Pyramidal Upright Rounded Rounded Rounded Rounded Rounded Rounded Rounded Rounded Rounded Upright Rounded Rounded Rounded Pyramidal Upright Upright Upright Rounded Rounded Upright Rounded Upright Upright Pyramidal Umbrella Pyramidal Umbrella Pyramidal Rounded Upright	Wet  O O O X X X 1/2. O O 1/2. O 1/2. O 1/2. 1/2. 1/2. 1/2.	X = Pref 1/2 = Pref 0 = intol	X   Plai	X   X   X	X X X O 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	X X X Frost   X 1/2.  X X X X X X X X X X X X X X X X X X	X	1.5 to 2m  X X X X X X X X X X X	X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Comments  Frost tender in early years  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing  Slow growing  Requires cool root run  Requires cool root run  Cood home garden variety  More vigeous and higher yelding then Frantolo Tolerant of wind, frost, drought & wetter ground.
Lowland Hill Country	Botanical Name  Nalectryon excelsus Beilschmiedia tawa Cordyline australis ( Plant in groups) Dacrydium cupressinum Nestegis lanceolata Nothofagus fusca Nothofagus solandri var.solandri Phyllocladus trichomanoides Plagianthus regius Podocarpus hallii Prumnopitus ferruginea Prumnopitus taxifolia Pseudopanax crassifolius (Group Plantings)  Cupressus sempervirens stricta Michelia doltsopia Magnolia grandiflora 'Little Gem' Magnolia grandiflora 'Nain Street' Metrosideros umbellata Podocarpus salignus Olea 'I-eccino' Olea 'Verdale' Thuya occidentalis 'Pyramidalis'  Acer griseum Acer freemanii 'Autumn Blaze' Acer urbrum 'Bowhall' Acer rubrum 'Bowhall' Acer rubrum 'Bowhall' Acer rubrum 'Bowhall' Acer rubrum 'Solandia 'Palo Alto' Liquidamber styraciflua 'Lane Roberts' Liquidamber styraciflua 'La	Common Name  Lowland H  Iative Trees endemic  Titoki Tawa Cabbage tree Rimu White maire Red Beech Silver beech Black Beech Tanekaha Lowland ribbonwood Thin barked totara Miro Matai Lancewood  Evergreen  Upright cypress Michelia Southern Magnolia Southern Magnolia Southern Magnolia Southern Rata Willow leaf podocarp Olive Olive Olive Olive Eastern Arborvitae  Paperbark Maple Autumn Blaze Maple Bowhall Maple Column Maple Sugar Maple Japanese Hornbeam Redbud Turkish Filbert Locust Liquidamber Liquidamber Tuliptree Upright Tuliptree Tupelo Persian Parrotia Chinese pistache Scarlet Oak	Tree size  III  Ito Nelson  Medium  Large  Medium  Large	Foliage Bark, Foliage Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Flowers Foliage and Autumn colourings Foliage Fruits Fruits Fruits Fruits Fruits Foliage Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage and Flowers Foliage and Autumn colourings Foliage and Autumn colourings Foliage and Flowers Foliage and Autumn colourings	Rounded Upright Upright Upright Upright Rounded Pyramidal Rounded Upright Upright Pyramidal Upright Upright Pyramidal Upright Upright Rounded Pyramidal Upright Rounded Pyramidal Upright Rounded Pyramidal Rounded Rounded Pyramidal Upright Upright Upright Rounded Rounded Rounded Pyramidal Upright Upright Upright Upright Upright Upright Upright Rounded Pyramidal Upright Upright Rounded Pyramidal Upright Rounded Pyramidal Umbrella Pyramidal Rounded Upright Pyramidal Rounded Rounded Rounded Rounded Rounded	Wet  O O O X X X 1/2. O O 1/2. O 1/2. O 1/2. 1/2. 1/2. 1/2.	X = Pref 1/2 = Pref 0 = intol	X   Plai	X	X X X 0 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2. 1/2.	X X X Frost  X 1/2. X X X X X X X X X X X X X X X X X X X	X	1.5 to 2m  X X X X X X X X X X X	X	X X X Above 4m X X X X X X X X X X X X X X X X X X X	Comments  Frost tender in early years  Frost tender in early years  Frost tender in early years  Honeydew potential would dictate use next to parking areas  Deciduous  Slow growing  Slow growing  Requires cool root run  Good home garden variety More vigorous and higher yeliding than Frantoio Tolerant of wind, frost, drought & wetter ground.  Tolerant of wind, frost, drought & wetter ground.  Tolerant of wind, frost, drought & wetter ground.  Stunning autumn colour, for residential areas with good soils.  Drought tolerant when established.  Stunning autumn colour, for residential areas with good soils.  Drought tolerant when established.  Stunning autumn colour, for residential areas with good soils.  Drought tolerant when established.  Stunning autumn colour, for residential areas with good soils.  Drought tolerant when established.  Stunning autumn colour, for residential areas with good soils.  Drought tolerant when established.  Stunning autumn colour, for residential areas with good soils.  Drought tolerant when established.  Stunning autumn colour, for residential areas with good soils.

								Plan	t Prefere	ences			Berm	<b>Vidth</b>		
Sites	Botanical Name	Common Name	e Tree size	Visual Interest	Shape	Wet	Moist	Dry	Sun	Shade	Frost	Plant in Groups	1.5 to 2m 2m to	4m Abo	ove 4m	Comments
Surial		Wakapuaka Cemetery - Na	atural Burial	Sites		KEY			ates rates some				·			
<u>a</u>		Native Trees endemi	c to Nelson													
n	Cordyline australis ( Plant in groups)	Cabbage tree	Medium	Foliage, Flowers	Upright	Х	Х	Х	Х	0	0	Х	)		Х	
at	Hoheria angustifolia	Narrow leafed lacebarl		Foliage, Flowers	Upright	1/2.	Х	Х	Х	0	Х		X		İ	
Z	Podocarpus hallii	Thin barked totara	Large	Bark, Foliage	Rounded	0	Х	Х	Х	1/2.			<b>)</b>		Х	
	Plagianthus regius	Lowland ribbonwood	Medium	Foliage, Flowers	Upright	1/2.	Х	Х	Х	Х	Х		X			Deciduous
<u> </u>	Pseudopanax crassifolius ( Plant in groups)	Lancewood	Small	Bark, Foliage	Upright		Х	Х	Х	Х	1/2.	Х	Х			
te	Phyllocladus trichomanoides	Tanekaha	Large	Bark, Foliage	Pyramidal	0	Х	Х	Х	1/2.			)		Χ	
eme		Evergreen	1													
ŭ	Calodendrum capense	Cape Chestnut	Large Medium	Foliage and Flowers	Rounded	0	Х	1/2.	Х	1/2.	0				Χ	Requires fertile soil, with good drainage
a	Corymbia ficifolia	Flowering Gum		Flowers	Rounded		Х	Х	Х		Х		)		Χ	
쑱	Hymenosporum flavum	Austrailian frangipani		Foliage and Flowers	Upright		Х	Х	Х		0		X			
ž	Michelia doltsopia	Michelia	Medium	Foliage and Flowers	Pyramidal		Х	Х	Х		1/2.		<b>)</b>		Χ	
<del>g</del>	Podocarpus macrophyllus	Yew Pine	Large	Foliage	Pyramidal		Х	Х	Х		0		<b>)</b>		X	
/ak		Deciduous	S													
>	Acer griseum	Paperbark Maple	Small	Bark and Autumn colourings	Rounded		Х	Х	Х		Х		Х			
	Ginkgo biloba 'fastigiata' Male tree only	Upright Gingko	Medium	Foliage and Autumn colourings	Upright		Х	Х	Х	1/2.	Х		Х			
	Lagerstromia indica 'Soir D'ete'	Crypemyrtle	Small	Bark, Flowers and Autumn colourings	Rounded		Х	Х	Х		Х		)			Very frost hardy
	Pistacia chinensis	Chinese pistache	Medium	Foliage and Autumn colourings	Rounded		Х	Х	Х		Х		)			Stunning autumn colour, for residential areas with good soils.
	Ulmus carpinifolia x parvifolia 'Frontier'	Frontier Elm	Medium	Foliage and Autumn colourings	Pyramidal		Х	Х	Х		Х		)		Χ	Bred in USA for Urban conditions.